

Fresnelets: New Multiresolution Wavelet Bases for Digital Holography

Abstract—We propose a construction of new wavelet-like bases that are well suited for the reconstruction and processing of optically generated Fresnel holograms recorded on CCD-arrays. The starting point is a wavelet basis of L_2 to which we apply a unitary Fresnel transform. The transformed basis functions are shift-invariant on a level-by-level basis but their multiresolution properties are governed by the special form that the dilation operator takes in the Fresnel domain. We derive a Heisenberg-like uncertainty relation that relates the localization of Fresnelets with that of their associated wavelet basis. According to this criterion, the optimal functions for digital hologram processing turn out to be Gabor functions, bringing together two separate aspects of the holography inventor's work.

We give the explicit expression of orthogonal and semi-orthogonal Fresnelet bases corresponding to polynomial spline wavelets. This special choice of Fresnelets is motivated by their near-optimal localization properties and their approximation characteristics. We then present an efficient multiresolution Fresnel transform algorithm, the Fresnelet transform. This algorithm allows for the reconstruction (backpropagation) of complex scalar waves at several user-defined, wavelength-independent resolutions. Furthermore, when reconstructing numerical holograms, the subband decomposition of the Fresnelet transform naturally separates the image to reconstruct from the unwanted zero-order and twin image terms. This greatly facilitates their suppression. We show results of experiments carried out on both synthetic (simulated) data sets as well as on digitally acquired holograms.

I. INTRODUCTION

DIGITAL holography [1]–[4] is an imaging method in which a hologram [5] is recorded with a CCD-camera and reconstructed numerically. The hologram results from the interference between the wave reflected or transmitted by the object to be imaged and a reference wave. One arrangement that is often used is to record the distribution of intensity in the hologram plane at the output of a Michelson interferometer. The digital reconstruction of the complex wave (amplitude and phase) near the object is based on the Fresnel transform, an approximation of the diffraction integral [6].

Digital holography's applications are numerous. It has been used notably to image biological samples [7]. As the range of applications gets broader, demands toward better image quality increases. Suppression of noise, higher resolution of the reconstructed images, precise parameter adjustment and faster, more robust algorithms are the essential issues.

Since it is in essence a lensless process, digital holography tends to spread out sharp details like object edges over the entire image plane. Therefore, standard wavelets, which are typically designed to process piecewise smooth signals, will give poor results when applied directly to the hologram. We present a new family of wavelet bases that is tailor-made for digital holography.

While analytical solutions to the diffraction problem can be given in terms of Gauss-Hermite functions [6], those do not satisfy the completeness requirements of wavelet theory [8] and are therefore of limited use for digital processing. This motivates us to come up with basis functions that are well-suited for the problem at hand. The approach that we are proposing here is to apply a Fresnel transform to a wavelet basis of L_2 to simulate the propagation in the hologram formation process and build an adapted wavelet basis.

We have chosen to concentrate on B-spline bases for the following reasons.

- The B-splines have excellent approximation characteristics (in some asymptotic sense, they are π times better than Daubechies wavelets [9]).
- The B-splines are the only scaling functions that have an analytical form in both time and frequency domains; hence, there is at least some hope that we can derive their Fresnel transforms and associated wavelets explicitly.
- The B-splines are nearly Gaussians and their associated wavelets very close to Gabor functions (modulated Gaussians) [10]. This property will turn out to be crucial because we will show that these functions are well localized with respect to the holographic process.

In the sequel, we use the following definition of the Fourier Transform $\hat{f}(\nu)$ of a function $f(x)$:

$$\hat{f}(\nu) = \int_{-\infty}^{\infty} f(x)e^{-2i\pi x\nu} dx$$

$$f(x) = \int_{-\infty}^{\infty} \hat{f}(\nu)e^{2i\pi\nu x} d\nu.$$

With this definition $\|f\| = \|\hat{f}\|$.

II. FRESNEL TRANSFORM

A. Definition

We define the unitary Fresnel transform with parameter $\tau \in \mathbb{R}_+^*$ of a function $f \in L_2(\mathbb{R})$ as the convolution integral

$$\tilde{f}_\tau(x) = (f * k_\tau)(x) \text{ with } k_\tau(x) = \frac{1}{\tau} e^{i\pi(x/\tau)^2} \quad (1)$$

which is well defined in the L_2 sense. Our convention throughout this paper will be to denote the Fresnel transform with parameter τ of a function using the tilde and the associated index τ .

The frequency response of the Fresnel operator is

$$\hat{k}_\tau(\nu) = e^{i\pi/4} e^{-i\pi(\tau\nu)^2} \quad (2)$$

with the property that $|\hat{k}_\tau(\nu)| = 1, \forall \nu \in \mathbb{R}$. As the transform is unitary, we get a Parseval equality

$$\forall f, g \in L_2(\mathbb{R}) \quad \langle f, g \rangle = \langle \tilde{f}_\tau, \tilde{g}_\tau \rangle \quad (3)$$

and for $f = g$ a Plancherel equality

$$\forall f \in L_2(\mathbb{R}) \quad \|f\| = \|\tilde{f}_\tau\|. \quad (4)$$

Therefore, we have that $\tilde{f}_\tau \in L_2(\mathbb{R})$.

The inverse transform in the space domain is given by

$$f(x) = \left(\tilde{f}_\tau * k_\tau^{-1} \right) (x) \text{ with } k_\tau^{-1}(x) = k_\tau^*(x) = \frac{1}{\tau} e^{-i\pi(x/\tau)^2}. \quad (5)$$

It is simply derived by conjugating the operator in the Fourier domain

$$\hat{k}_\tau^{-1}(\nu) = e^{-i(\pi/4)} e^{i\pi(\tau\nu)^2} = \hat{k}_\tau^*(\nu). \quad (6)$$

B. Example: Gaussian Function

The Fresnel transform of the Gaussian function

$$g(x) = e^{-\pi(x/\sigma)^2}$$

is again a Gaussian, modulated by a chirp function

$$\tilde{g}_\tau(x) = ae^{-\pi(x/\sigma')^2} e^{i\pi(x/\tau')^2}$$

where $a = e^{i(\pi/4)}(\sigma/\sqrt{\sigma^2 + i\tau^2})$ is the complex amplitude, $\sigma'^2 = (\sigma^4 + \tau^4)/\sigma^2$ is the new variance and $\tau'^2 = (\sigma^4 + \tau^4)/\tau^2$ is the chirp parameter. As the parameter τ increases, the variance and therefore the spatial spreading of

the transformed function increases as well. This aspect of the Fresnel transform is further investigated in Section III-E.

C. Two-Dimensional Fresnel Transform

We define the unitary two-dimensional (2-D) Fresnel transform of parameter $\tau \in \mathbb{R}_+^*$ of a function $f \in L_2(\mathbb{R}^2)$ as the 2-D convolution integral

$$\tilde{f}_\tau(\vec{x}) = \tilde{f}_\tau(x, y) = (f * K_\tau)(\vec{x})$$

where the kernel is

$$K_\tau(\vec{x}) = \frac{1}{\tau^2} e^{i\pi(\|\vec{x}\|/\tau)^2}.$$

A key property is that it is separable

$$K_\tau(\vec{x}) = \frac{1}{\tau^2} e^{i\pi(\|\vec{x}\|/\tau)^2} = k_\tau(x) k_\tau(y).$$

Thus, we will be able to perform most of our mathematical analysis in one dimension and simply extend the results to two dimensions by using separable basis functions.

The two-dimensional unitary Fresnel transform is linked to the diffraction problem in the following manner. Consider a complex wave traveling in the z -direction. Denote by $\psi(x, y)$ the complex amplitude of the wave at distance 0 and by $\Psi(x, y)$ the diffracted wave at a distance d . If the requirements for the Fresnel approximation are fulfilled, we have that [6]

$$\begin{aligned}\Psi(x, y) &= \frac{e^{ikd}}{i\lambda d} \iint \psi(\xi, \eta) e^{(i\pi)/(\lambda d)((\xi-x)^2 + (\eta-y)^2)} d\xi d\eta \\ &= -i e^{ikd} \tilde{\psi}_{\sqrt{\lambda d}}(x, y)\end{aligned}$$

where λ is the wavelength of the light and $k = 2\pi/\lambda$ its wavenumber. In other words, the amplitudes and phases of the wave at two different depths are related to each other via a 2-D Fresnel transform.

III. PROPERTIES OF THE FRESNEL TRANSFORM

Conventional wavelet bases are built using scaled and dilated versions of a suitable template. For building our new wavelet family, it is thus essential to understand how the Fresnel transform behaves with respect to the key operations in multiresolution wavelet theory; i.e., dilation and translation. In Sections III-A–D, we recall properties of the Fresnel transform that are central to our discourse but are also documented in the optics literature [6, pp. 114–119]. In Section III-E, we give a new result which is an uncertainty relation for the Fresnel transform. For clarity, the results are presented for 1-D functions but, using the separability property, they can easily be extended to 2-D functions.

A. Duality

To compute the inverse of the Fresnel transform we can use following dual relation:

$$f^*(x) = \left((\tilde{f}_\tau)^* \right)_\tau^\sim (x), \quad f \in L_2(\mathbb{R}). \quad (7)$$

Computing the inverse Fresnel transform of a function is therefore equivalent to taking its complex conjugate, computing the Fresnel transform and again taking the complex conjugate. In other words, the operator $f \mapsto (\tilde{f}_\tau)^*$ is involutive.

B. Translation

As the Fresnel transform is a convolution operator, it is obviously shift-invariant

$$(f(\cdot - x_0))_\tau^\sim (x) = \tilde{f}_\tau(x - x_0), \quad x_0 \in \mathbb{R}. \quad (8)$$

C. Dilation

The Fresnel transform with parameter τ of the dilated function $f(x/s)$ is

$$\left(f \left(\frac{\cdot}{s} \right) \right)_\tau^\sim (x) = \tilde{f}_{\tau/s} \left(\frac{x}{s} \right), \quad s \in \mathbb{R}_+^*. \quad (9)$$

This relation involves a dilation by s of the Fresnel transform of f with a rescaled parameter $\tau' = \tau/s$. This ratio also appears in the definition of the so-called *Fresnel number* $N_F = (s/\tau)^2$, where $\tau^2 = \lambda d$; it is used to characterize the diffraction of light by a square aperture of halfwidth s and at a distance d [6].

D. Link With the Fourier Transform

So far, we have considered the Fresnel transform as a convolution operator. Interestingly, there is also a direct multiplicative relation with the Fourier transform [6]. Computing the Fresnel transform \tilde{g}_τ of a function $g \in L_2(\mathbb{R})$ can be done by computing the Fourier transform of an associated function $f(x) = \tau k_\tau(x)g(x)$. The frequency variable is then interpreted as an appropriately scaled space variable

$$\tilde{g}_\tau(x) = k_\tau(x) \hat{f}\left(\frac{x}{\tau^2}\right). \quad (10)$$

E. Localization Issues

Our approach for the construction of a Fresnelet basis will take a wavelet basis and transform it. This still leaves many possibilities to choose the original basis. A suitable basis should take into account one of the least intuitive aspects of holography, namely that the propagation process tends to spread out features that are initially well localized in the object domain. Getting a better understanding of the notion of resolution in holography and setting up a criterion that will guide us in the choice of an optimal wavelet is what we are after in this section.

The tight link between the Fresnel and the Fourier transform (10) suggests that they should both have similar (de)localization properties. Here we derive an uncertainty relation for the Fresnel transform that is the analog of the Heisenberg inequality for the Fourier transform.

In the sequel, we denote the average μ_f of the squared modulus of a function $f \in L_2(\mathbb{R})$ by

$$\mu_f = \frac{1}{\|f\|^2} \int_{-\infty}^{\infty} x |f(x)|^2 dx$$

and its variance σ_f^2 around this average by

$$\sigma_f^2 = \frac{1}{\|f\|^2} \int_{-\infty}^{\infty} (x - \mu_f)^2 |f(x)|^2 dx.$$

Theorem 1 (Uncertainty Relation for the Fresnel Transform): Let $g \in L_2(\mathbb{R})$ and $\tilde{g}_\tau \in L_2(\mathbb{R})$ its Fresnel transform with parameter τ . We have following inequality for the product of their variances:

$$\sigma_g^2 \sigma_{\tilde{g}_\tau}^2 \geq \frac{\tau^4}{16\pi^2}. \quad (11)$$

This inequality is an equality if and only if there exist x_0, ω_0, b real and a complex amplitude a such that

$$g(x) = ae^{i\omega_0 x} e^{-b(x-x_0)^2} e^{-i\pi(x/\tau)^2}. \quad (12)$$

Furthermore, if $g(x)$ is real valued, the following relation holds:

$$\sigma_g^2 \sigma_{\tilde{g}_\tau}^2 \geq \frac{\tau^4}{16\pi^2} + \sigma_g^4. \quad (13)$$

This inequality is an equality if and only if there exist x_0, a, b real, such that

$$g(x) = ae^{-b(x-x_0)^2}. \quad (14)$$

Also, (13) implies a lower bound on the variance for $\sigma_{\tilde{g}_\tau}$ that is independent of g

$$\sigma_{\tilde{g}_\tau}^2 \geq \frac{\tau^2}{2\pi}.$$

The proof of Theorem 1 is given in Appendix I.

This result implies that narrow functions yield functions with a large energy support when they are transformed. It suggests that Gaussians and Gabor-like functions, modulated with the kernel function as in (12) should be well suited for processing and reconstructing holograms as they minimize the spatial spreading of the energy. This is especially satisfying because it brings two separate aspects of Gabor's research together: he is both the inventor of holography [5] and of the Gabor transform [11], [12], which is a signal representation as a linear combination of atoms of the form (12). We are not aware of anyone having pointed out this connection before.

We will base our Fresnelets construction on wavelet bases that are close to these optimal functions. Practically, in the case of a digital hologram measurement where a transformed function is available over a finite support and with a given sampling step, we may use the above uncertainty relation to get a bound on the maximal resolution to expect when reconstructing the original function.

A direct illustration of the second part of this Theorem can be found in the example of Section II-B; indeed, it can be verified that the product of the variance of the Gaussian and that of its Fresnel transform achieves the lower bound in (13).

IV. FRESNELET BASES

To construct our new Fresnelet bases, we will apply a Fresnel transform to a wavelet basis. Here, we will explain what happens when we apply the transform to a general Riesz basis of $L_2(\Omega)$, where the dimension of the domain Ω is arbitrary e.g., $\Omega = \mathbb{R}$ or \mathbb{R}^2 .

A. Fresnel Transform of a Riesz Basis

Let $\{u_l\}_{l \in \mathbb{Z}}$ be a Riesz basis of $L_2(\Omega)$ and $\{v_l\}_{l \in \mathbb{Z}}$ its dual. Then, $\forall f \in L_2(\Omega)$, we can write following expansion:

$$f = \sum_l \underbrace{\langle f, v_l \rangle}_{c_l} u_l = \sum_l \langle f, u_l \rangle v_l. \quad (15)$$

Let $\tilde{u}_l = U u_l$ where U is a unitary operator (e.g., the Fresnel transform). First, it is easy to see that U maps the biorthogonal set $S = \{u_l, v_l\}_{l \in \mathbb{Z}}$ into another biorthogonal set $\tilde{S} = \{\tilde{u}_l, \tilde{v}_l\}_{l \in \mathbb{Z}}$

$$\begin{aligned} \langle \tilde{v}_l, \tilde{u}_m \rangle &= \langle U v_l, U u_m \rangle \\ &= \underbrace{\langle U U^\dagger}_{1} v_l, u_m \rangle = \delta_{l,m}. \end{aligned}$$

Here U^\dagger denotes the adjoint of U . Let us now show that \tilde{S} is also complete. For the set S , we define the sequence

$$f_N = \sum_{l=1}^N \langle f, v_l \rangle u_l, \quad \forall f \in L_2(\Omega)$$

and have the completeness equation

$$\lim_{N \rightarrow \infty} \|f - f_N\|^2 = 0. \quad (16)$$

Note that the Riesz basis hypothesis ensures that $f_N \in L_2(\Omega)$. Because U is unitary, we have

$$\begin{aligned} \langle f, v_l \rangle &= \langle U f, U v_l \rangle \\ &= \langle \tilde{f}, \tilde{v}_l \rangle \end{aligned} \quad (17)$$

and therefore

$$\|f - f_N\|^2 = \|\tilde{f} - \tilde{f}_N\|^2$$

which proves that the transformed set \tilde{S} is complete as well.

Similarly, the Parseval relation (17) can also be used to prove that S and \tilde{S} have the same Riesz bounds. The Riesz bounds are the tightest constants $A > 0$ and $B < \infty$ that satisfy the Riesz inequality

$$A \|\langle v_l, f \rangle\|_{\ell_2}^2 \leq \|f\|_{L_2}^2 \leq B \|\langle v_l, f \rangle\|_{\ell_2}^2.$$

They are the same for the transformed set

$$A \|\langle \tilde{v}_l, \tilde{f} \rangle\|_{\ell_2}^2 \leq \|\tilde{f}\|_{L_2}^2 \leq B \|\langle \tilde{v}_l, \tilde{f} \rangle\|_{\ell_2}^2.$$

Thus, we can conclude that the Fresnel transform, which is a unitary operator from $L_2(\Omega)$ into $L_2(\Omega)$, maps Riesz bases into other Riesz bases, with the same Riesz bounds. Similarly, if we only consider a subset of basis functions that span a subspace of $L_2(\Omega)$ (e.g., a multiresolution subspace) we can show that it maps into a transformed set that is a Riesz basis of the transformed subspace with the same Riesz bounds.

Relation (17) is important for this proof but it is also most relevant for the reconstruction of an image f given its transform \tilde{f} . It indicates that we can obtain the expansion coefficients in (15) directly by computing the series of inner products $\langle \tilde{f}, \tilde{v}_l \rangle$. This is one of the key ideas for our construction.

B. B-Splines

The uncertainty relation for the Fresnel transform suggests the use of Gabor-like functions. Unfortunately, these functions cannot yield a multiresolution basis of $L_2(\mathbb{R})$. They do not satisfy the partition of unity condition, implying that a representation of a function in term of shifted Gaussians will not converge to the function as the sampling step goes to zero [13]. Furthermore, they do not satisfy a two-scale relation which is required for building wavelets and brings many advantages regarding implementation issues.

We will therefore base our construction on B-splines which are Gaussian-like functions that do yield wavelet bases; they are also well localized in the sense of the uncertainty principle for the Fresnel transform (13).

B-splines [14] are defined in the Fourier domain by

$$\hat{\beta}^n(\nu) = \left(\frac{1 - e^{-2i\pi\nu}}{2i\pi\nu} \right)^{n+1} = \text{sinc}^{n+1}(\nu) e^{-i\pi\nu(n+1)}$$

where $\text{sinc}(x) = \sin(\pi x)/(\pi x)$ and $n \in \mathbb{N}$.

The corresponding expression for the B-spline of degree n in the time domain (see Fig. 1) is

$$\beta^n(x) = \Delta^{n+1} * \frac{(x)_+^n}{n!}$$

where $(x)_+^n = \max(0, x)^n$ (one-sided power function); Δ^{n+1} is the $(n+1)$ th finite-difference operator

$$\Delta^{n+1} = \sum_{k=0}^{n+1} (-1)^k \binom{n+1}{k} \delta(x-k)$$

which corresponds to the $(n+1)$ -fold iteration of the finite difference operator (see [15]): $\Delta = \delta(x) - \delta(x-1)$.

Explicitly, we have following expression for the B-spline of degree n :

$$\beta^n(x) = \sum_{k=0}^{n+1} (-1)^k \binom{n+1}{k} \frac{(x-k)_+^n}{n!}. \quad (18)$$

This definition is equivalent to the standard approach where the B-splines of degree n are constructed from the $(n + 1)$ -fold convolution of a rectangular pulse

$$\beta^n(x) = \underbrace{\beta^0 * \dots * \beta^0}_{n+1 \text{ times}}(x)$$

$$\beta^0(x) = \begin{cases} 1, & 0 < x < 1 \\ \frac{1}{2}, & x = 0 \text{ or } 1 \\ 0, & \text{otherwise.} \end{cases}$$

C. Polynomial Spline Wavelets

The B-splines satisfy all the requirements of a valid scaling function of $L_2(\mathbb{R})$, that is, they satisfy the three necessary and sufficient conditions [8]

$$\text{Riesz Basis: } 0 < A \leq \sum_{k \in \mathbb{Z}} \left| \hat{\beta}^n(\nu + k) \right|^2 \leq B < \infty$$

$$\text{Two-scale relation: } \beta^n\left(\frac{x}{2}\right) = \sum_{k \in \mathbb{Z}} h(k) \beta^n(x - k)$$

$$\text{Partition of unity: } \sum_{k \in \mathbb{Z}} \beta^n(x - k) = 1 \quad (19)$$

where the filter $h(k)$ is the binomial filter $h(k) = 1/2^n \binom{n+1}{k}$. These conditions ensure that B-splines can be used to generate a multiresolution analysis of $L_2(\mathbb{R})$.

Unser *et al.* [16] have shown that one can construct a general family of semi-orthogonal spline wavelets of the form

$$\psi^n\left(\frac{x}{2}\right) = \sum_k g(k) \beta^n(x - k) \quad (20)$$

such that the functions

$$\left\{ \psi_{j,k}^n = 2^{(-j/2)} \psi^n(2^{-j}x - k) \right\}_{j \in \mathbb{Z}, k \in \mathbb{Z}} \quad (21)$$

form a Riesz basis of $L_2(\mathbb{R})$. These wavelets come in different brands: orthogonal, B-spline (of compact support), interpolating, etc... They are all linear combinations of B-splines and are thus entirely specified from the sequence $g(k)$ in (20). Here, we will consider B-spline wavelets [16], which have the shortest support in the family.

The main point here is that by using the properties of the Fresnel transform (linearity, shift invariance and scaling), we can easily derive the family of functions $\left\{ \left(\psi_{j,k}^n \right)_\tau \sim k_\tau * \psi_{j,k}^n \right\}_{j \in \mathbb{Z}, k \in \mathbb{Z}}$, provided that we know the Fresnel transform of their main constituent, the B-spline.

D. Fresnelets

In this section, we introduce our new wavelets: Fresnelets. They will be specified by taking the Fresnel transform of (20). Thus, the remaining ingredient is to determine the Fresnel transform of the B-splines.

1) *F-splines*: We define the Fresnel spline, or F-spline of degree $n \in \mathbb{N}$ and parameter $\tau \in \mathbb{R}_+^*$ (denoted $\tilde{\beta}_\tau^n(x)$) as the Fresnel transform with parameter τ of a B-spline $\beta^n(x)$ of degree n

$$\tilde{\beta}_\tau^n(x) = (\beta^n * k_\tau)(x).$$

Theorem 2: The F-spline of degree n and parameter τ has the closed form

$$\tilde{\beta}_\tau^n(x) = \sum_{k=0}^{n+1} (-1)^k \binom{n+1}{k} \frac{u_{n,\tau}(x-k)}{n!} \quad (22)$$

where

$$u_{n,\tau}(x) = \int_0^x \frac{(x-\xi)^n}{n!} k_\tau(\xi) d\xi. \quad (23)$$

The proof of Theorem 2 is given in Appendix II.

F-splines have many similarities with B-splines. For example, to get (22), one just substitutes the one-sided power function used in the definition of the B-spline (18) with the functions $u_{n,\tau}$.

Theorem 3: The functions $u_{n,\tau}$ can be calculated recursively

$$u_{n,\tau}(x) = \frac{\tau}{2i\pi n!} x^{n-1} - \frac{\tau^2}{2i\pi n} u_{n-2,\tau}(x) + \frac{x}{n} u_{n-1,\tau}(x). \quad (24)$$

For $n = 0$ we have

$$u_{0,\tau}(x) = \frac{1}{\sqrt{2}} \left(C \left(\frac{\sqrt{2}}{\tau} x \right) + iS \left(\frac{\sqrt{2}}{\tau} x \right) \right)$$

where $C(x)$ and $S(x)$ are the so-called *Fresnel integrals*

$$C(x) = \int_0^x \cos \left(\frac{\pi}{2} t^2 \right) dt, \quad S(x) = \int_0^x \sin \left(\frac{\pi}{2} t^2 \right) dt.$$

For $n = 1$ we have

$$u_{1,\tau}(x) = x u_{0,\tau}(x) - \frac{\tau^2}{2i\pi} \left(k_\tau(x) - \frac{1}{\tau} \right).$$

This gives us a straightforward way to evaluate the F-splines as the Fresnel integrals can be computed numerically [17]. Furthermore, we can also transpose the well-known B-spline recursion formula

$$\beta^n(x) = \frac{x}{n} \beta^{n-1}(x) + \frac{n+1-x}{n} \beta^{n-1}(x-1) \quad (25)$$

to the Fresnel domain.

Theorem 4: We have following recursion formula for the F-splines:

$$\begin{aligned} \tilde{\beta}_\tau^n(x) = & \frac{x \tilde{\beta}_\tau^{n-1}(x) + (n+1-x) \tilde{\beta}_\tau^{n-1}(x-1)}{n} \\ & + \frac{i\tau^2}{2\pi n} \Delta^2 \tilde{\beta}_\tau^{n-2}(x). \quad (26) \end{aligned}$$

2) *Fresnelet Multiresolutions*: Let us now transpose the classical multiresolution relations of wavelet theory to the Fresnelet domain. The two scale relation (19) becomes

$$\tilde{\beta}_{\tau/2}^n\left(\frac{x}{2}\right) = \sum_k h(k)\tilde{\beta}_{\tau}^n(x-k). \quad (27)$$

In classical wavelet theory, embedded multiresolution spaces are generated through dilation and translation of one single function. The Fresnel transform preserves the embeddedness of those spaces. The important modification comes from the *dilation* relation (9) which changes the generating function from one scale to the next. The difference is that in the transformed domain there is one generating function for each *scale*.

Formally, we consider, for $j \in \mathbb{Z}$, the sequence of spaces $\{\tilde{V}_{j,\tau}\}$ defined as

$$\tilde{V}_{j,\tau} = \text{span}_{k \in \mathbb{Z}} \left\{ \tilde{\beta}_{\tau 2^{-j}}^n(2^{-j}x - k) \right\} \cap L_2(\mathbb{R})$$

corresponding to the sequence of spaces $\{V_j\}$ defined as

$$V_j = \text{span}_{k \in \mathbb{Z}} \left\{ \beta^n(2^{-j}x - k) \right\} \cap L_2(\mathbb{R}).$$

The subspaces V_j satisfy the requirements for a multiresolution analysis [8].

- 1) $V_{j+1} \subset V_j$ and $\bigcap V_j = 0$ and $\overline{\bigcup V_j} = L_2(\mathbb{R})$ (completeness).
- 2) Scale invariance: $f(x) \in V_j \Leftrightarrow f(2x) \in V_{j-1}$.
- 3) Shift invariance: $f(x) \in V_0 \Leftrightarrow f(x-k) \in V_0$.
- 4) Shift-invariant basis: V_0 has a stable Riesz basis $\{\beta^n(x-k)\}$.

For the sequence $\{\tilde{V}_{j,\tau}\}$ the shift-invariance is preserved within each scale but requirement 2 is clearly not fulfilled because of the scaling property (9) of the Fresnel transform. We nevertheless get a modified set of multiresolution analysis requirements for the Fresnel transform

1') $\tilde{V}_{j+1,\tau} \subset \tilde{V}_{j,\tau}$ and $\bigcap \tilde{V}_{j,\tau} = 0$ and $\overline{\bigcup \tilde{V}_{j,\tau}} = L_2(\mathbb{R})$ (completeness).

2') Scale invariance: $f(x) \in \tilde{V}_{j,\tau} \Leftrightarrow \tilde{f}_{\sqrt{3}\tau}(2x) \in \tilde{V}_{j-1,\tau}$.

3') Shift invariance: $f(x) \in \tilde{V}_{0,\tau} \Leftrightarrow f(x-k) \in \tilde{V}_{0,\tau}$.

4') Shift-invariant basis: V_0 has a stable Riesz basis $\{\tilde{\beta}_\tau^n(x-k)\}$.

Condition 2' is obtained by observing that $f(x) \in \tilde{V}_{j,\tau} \Leftrightarrow f * k_\tau^{-1} \in V_j$. As we require the V_j to satisfy the scale invariance condition 2, we have $f * k_\tau^{-1}(2x) \in V_{j-1}$ hence $(f * k_\tau^{-1}(2\cdot)) * k_\tau(x) \in \tilde{V}_{j-1,\tau}$. And finally

$$\begin{aligned} (f * k_\tau^{-1}(2\cdot)) * k_\tau(x) &= (f * k_\tau^*) * k_{2\tau}(2x) \\ &= e^{i(\pi/4)} \tilde{f}_{\sqrt{3}\tau}(2x). \end{aligned}$$

Specifically, the generating functions corresponding to the B-spline wavelets of (20) are

$$\tilde{\psi}_{\tau/2}^n\left(\frac{x}{2}\right) = \sum_k g(k) \tilde{\beta}_\tau^n(x-k)$$

where $\tilde{\beta}_\tau^n(x)$ is given by (22). The corresponding Fresnelets are such that

$$\text{span}_{k \in \mathbb{Z}} \left\{ \tilde{\psi}_{\tau/2}^n\left(\frac{x}{2} - k\right) \right\} \perp \text{span}_{k \in \mathbb{Z}} \left\{ \tilde{\beta}_{\tau/2}^n\left(\frac{x}{2} - k\right) \right\}.$$

For the multiresolution subspaces, we have that the residual spaces $\tilde{W}_{j,\tau}$ defined as

$$\tilde{W}_{j,\tau} = \text{span}_{k \in \mathbb{Z}} \left\{ \tilde{\psi}_{\tau 2^{-j}}^n(2^{-j}x - k) \right\}$$

are such that

$$\tilde{W}_{j+1,\tau} \perp \tilde{V}_{j+1,\tau}$$

and

$$\tilde{W}_{j+1,\tau} \oplus \tilde{V}_{j+1,\tau} = \tilde{V}_{j,\tau}.$$

The above expressions extend the meaning of multiresolution to the fresnelet domain.

3) *Fresnelet Multiresolution Example:* In Fig. 2 we show a sequence of dyadic scaled B-splines of degree $n = 3$ and their counterpart in the Fresnel domain. The effect of the spreading is clearly visible: as the B-splines get finer ($j = 1, 2, 3, 4$) the corresponding F-splines get larger. In contrast to the Fourier transform, as the B-splines get larger ($j = -1, -2$), the corresponding F-splines' support does not get smaller than the B-splines'. This behavior is in accordance with relation (13).

The main practical consequence for us is: if we want to reconstruct a hologram at a fine scale, that is, express it as a sum of narrow B-splines, the equivalent basis functions on the hologram get larger. Our special choice of Fresnelet bases limits this phenomenon as much as possible; it is nearly optimal in the sense of our uncertainty relation for real functions (13) as they asymptotically converge to Gabor functions [10].

V. IMPLEMENTATION OF THE FRESNELET TRANSFORM

In this section we derive a numerical Fresnelet transform algorithm based on our Fresnelets decomposition.

We consider a function $\tilde{f}_\tau(x)$ which is the Fresnel transform of a function $f \in L_2(\mathbb{R})$, i.e., $\tilde{f}_\tau(x) = k_\tau * f(x)$. In a digital holography experiment, this would be the measured phase and amplitude of a propagated wave (without interference with a reference wave). Given some measurements of \tilde{f} , the goal is thus to find the best approximation of f in our multiresolution basis. For instance, one can start the process by determining the coefficients c_k that give the closest approximation of f (in the L_2 sense) at the finest scale of representation

$$f = \sum_k c_k u(x - k), \quad c_k = \langle f, v(x - k) \rangle = \langle \tilde{f}, \tilde{v}(x - k) \rangle$$

where u and v (respectively \tilde{u} and \tilde{v}) are dual bases that are linear combinations of B-splines β^n (respectively F-splines $\tilde{\beta}_\tau$).

Therefore we only need to compute the inner-products of the transformed function with the shifted F-splines that have been appropriately rescaled

$$d_k = \left\langle f, \frac{1}{h} \beta^n \left(\frac{\cdot}{h} - k \right) \right\rangle = \left\langle \tilde{f}_\tau, \frac{1}{h} \tilde{\beta}_{\tau/h}^n \left(\frac{\cdot}{h} - k \right) \right\rangle. \quad (28)$$

Our present implementation is based on a convolution evaluated in the Fourier domain using FFTs. It can be justified as follows. Using Plancherel's identity for the Fourier transform, we express the inner products (28) as

$$\begin{aligned} d_k &= \left\langle \hat{\tilde{f}}_\tau, \hat{\tilde{\beta}}_{\tau/h}^n(h\cdot) e^{-2i\pi kh\cdot} \right\rangle \\ &= \int \hat{\tilde{f}}_\tau(\nu) \hat{\tilde{\beta}}_{\tau/h}^n(h\nu) e^{-2i\pi kh\nu} d\nu. \end{aligned}$$

In practice, we do not know $\tilde{f}_\tau(x)$ in a continuous fashion, but we can easily compute a sampled version of its Fourier transform by applying the FFT to the measured values. If we also

approximate the above integral by a Riemann sum, we end up with the implementation formula

$$d_k = \frac{1}{NT} \sum_{l=-N/2+1}^{N/2} \hat{f}_\tau \left(\frac{l}{NT} \right) \hat{\beta}_{\tau/h}^n \left(h \frac{l}{NT} \right) e^{-2i\pi khl/(NT)}$$

where T is the sampling step of the measured function. We can make use of the FFT a second time to compute this sum if we consider sampling steps on the reconstruction side that are multiples of the sampling step of the measured function: $h = mT$, $m = 1, 2, \dots$, then

$$d_k = \frac{1}{NT} \sum_{l=-N/2+1}^{N/2} \hat{f}_\tau \left(\frac{l}{NT} \right) \hat{\beta}_{\tau/(mT)}^n \left(m \frac{l}{N} \right) e^{-2i\pi m(kl/N)}.$$

The algorithm is thus equivalent to a filtering followed by down-sampling by m . It is also possible to proceed hierarchically by applying the standard wavelet decomposition algorithm once we have the fine scale coefficients d_k .

VI. APPLICATIONS AND EXPERIMENTS

We will now validate our multiresolution Fresnelet-based algorithm and illustrate it in practice on experimental digital holographic data.

A. Simulation: Propagation of a Test Wave Front

First, we will use our Fresnel formalism to compute the Fresnel transform of a test pattern that will be used as gold standard to evaluate our algorithm. Although our methodology is more general, for explanatory purposes we consider the case of a plane wave that is being reflected on a test target. The test target is given by three bars. They are of a given thickness and have a different reflectivity than the background they lie on. A plane wave that travels in a normal direction to the target is reflected. In a plane close to the target, the reflected wave's phase is directly proportional to the target's topology whereas the wave's amplitude characterizes the target's reflectivity. The key motif of this test pattern is a bar $b(x, y)$ expressed as a tensor product of two B-splines of degree 0

$$\begin{aligned} b(x, y) &= e^{i3\pi/4} \beta^0 \left(\frac{x}{w_x} \right) \beta^0 \left(\frac{y}{w_y} \right) + \sqrt{2} \\ &= \begin{cases} e^{i\pi/4}, & \text{on the bar} \\ \sqrt{2}, & \text{outside.} \end{cases} \end{aligned} \quad (29)$$

Its Fresnel transform of parameter τ is

$$\tilde{b}_\tau(x, y) = e^{i3\pi/4} \tilde{\beta}_{\tau/w_x}^0 \left(\frac{x}{w_x} \right) \tilde{\beta}_{\tau/w_y}^0 \left(\frac{y}{w_y} \right) + \sqrt{2} e^{i\pi/2}. \quad (30)$$

The amplitude and phase of the target and of the propagated target are shown in Figs. 3 and 4. More complex targets or different phases and amplitudes can be implemented easily with this method.

B. Backpropagation of a Diffracted Complex Wave

In this experiment, we took the analytical propagated target we just described as the input for our multiresolution Fresnel transform algorithm. We reconstructed the original target at dyadic scales. In concrete terms, we computed the inner products with F-splines of varying widths: $\tilde{\beta}_{\tau/2^j}^n(x/2^j)\tilde{\beta}_{\tau/2^j}^n(y/2^j)$, $j = 0, 1, 2, 3, 4$, $n = 3$. We then reconstructed the corresponding images using the underlying spline model. This is also equivalent to running the inverse wavelet transform algorithm up to a specified scale. The results are presented in Fig. 5. At the finest scale ($j = 0$), the sampling step is the same as the one used to sample the propagated wave. To ensure that the reconstructed wave agrees with the initial analytical target, we computed the peak signal to noise ratio (PSNR) of the reconstructed amplitude and phase for the finest reconstruction scale $j = 0$. We took following definition of the PSNR:

$$\text{PSNR} = 10 \log_{10} \left(\frac{(\max\{|f|\} - \min\{|f|\})^2}{\frac{1}{N_x N_y} \sum_{k,l} |f(k,l) - f'(k,l)|^2} \right)$$

where f is our (complex) gold standard target and f' the reconstructed target. We obtain a PSNR of 23.10 dB. We can thus say that our algorithm reconstructs the target reasonably well.

C. Hologram Reconstruction

For this experiment, we considered true holographic data, recorded using a similar system as in [4]. We give a simplified diagram of the experimental setup in Fig. 6.

An object (USAF target) was illuminated using a He–Ne laser ($\lambda = 632.8$ nm). The reflected wave was then directed to the

776 × 572 pixels CCD camera. The camera recorded the interference (hologram) of this propagated wave with a plane reference wave in an off-axis geometry. The sampling step of the CCD was $T = 10 \mu\text{m}$.

We denote $f(x, y)$ the reflected wave in the vicinity of the object and $\tilde{f}_\tau(x, y)$ the complex amplitude of the propagated wave in the CCD plane. The hologram is the intensity $I(x, y)$ measured by the camera and results from the interference of the propagated wave \tilde{f}_τ and the reference (plane) wave $R(x, y) = Ae^{i(k_x x + k_y y)}$

$$I(x, y) = |\tilde{f}_\tau(x, y) + R(x, y)|^2 = |\tilde{f}_\tau|^2 + |R|^2 + R^* \tilde{f}_\tau + R(\tilde{f}_\tau)^*. \quad (31)$$

The measured hologram is reproduced in Fig. 7.

The two first terms in (31) are known as the *zero-order*, the third and fourth terms as the *image* and *twin image* terms respectively [6]. In the frequency domain, their energy is concentrated around three frequencies: (0,0) for the zero-order, $(-k_x, -k_y)$ for the image and (k_x, k_y) for the twin image. This is clearly visible in Fig. 8.

Prior to reconstructing $f(x, y)$ we multiplied the hologram by a numerical reference wave $R' = e^{i(k'_x x + k'_y y)}$

$$R'I = R'|\tilde{f}_\tau|^2 + R'|R|^2 + R'R^* \tilde{f}_\tau + R'(\tilde{f}_\tau)^* R.$$

The values k'_x and k'_y were adjusted precisely to the experimental values k_x, k_y , such that the third term (which is the one we are interested in) becomes $R'R^* \tilde{f}_\tau = a \tilde{f}_\tau$ where a is some complex constant. We applied zero padding to the hologram (resulting in a 2048×2048 input image) to ensure a clear spatial separation of the three reconstructed terms.

We then applied our Fresnelet transform to this (de-)modulated hologram $R'I$. The reconstruction distance d was adjusted to 35 cm resulting in the proper parameter $\tau = \sqrt{\lambda d}$. In Fig. 9 we show the Fresnelet coefficients corresponding to the inner products of $R'I$ with the tensor product basis functions $\tilde{\psi}_{\tau/2^j}^n(x/2^j)\tilde{\beta}_{\tau/2^j}^n(y/2^j)$, $\tilde{\psi}_{\tau/2^j}^n(x/2^j)\tilde{\psi}_{\tau/2^j}^n(y/2^j)$, $\tilde{\beta}_{\tau/2^j}^n(x/2^j)\tilde{\psi}_{\tau/2^j}^n(y/2^j)$ and $\tilde{\beta}_{\tau/2^j}^n(x/2^j)\tilde{\beta}_{\tau/2^j}^n(y/2^j)$ for $n = 3, j = 0, \dots, J$ and $J = 4$. These coefficients are complex and we are only showing their modulus. From these coefficients we could recover the reconstructed signal (amplitude and phase) at any dyadic scale as it is shown in the pyramids of Fig. 10. It is important to remember that all the information to get a finer scale from the coarsest scale (top left) is contained in the subbands of the Fresnelet transform of Fig. 9.

The experiment shows that the three hologram terms are spatially separated in the reconstruction: the zero-order term in the center, the image below left and the twin image up right (not visible). One can also notice how the zero-order term vanishes as the reconstruction scale gets coarser. This is visible in both the pyramid (Fig. 10) where more and more energy goes into the image term as the image gets coarser, and in the

Fresnel transform (Fig. 9) where the zero-order term coefficient's energy is mainly in the highpass subbands. The explanation for this behavior is the following. As mentioned earlier, the hologram's energy is concentrated around the three frequencies $(-k_x, -k_y)$, $(0,0)$, and (k_x, k_y) , corresponding respectively to the image, the zero-order, and the twin image. When we multiply the hologram by $R'(x, y) \approx R(x, y) = e^{i(k_x x + k_y y)}$, the different terms are shifted by (k_x, k_y) in frequency and their new respective locations are $(0,0)$, (k_x, k_y) and $(2k_x, 2k_y)$. As the energy corresponding to the zero order and twin image terms is shifted to high frequencies, it is mainly encoded in the fine scale (highpass) Fresnel coefficients. Coarse scale reconstructions (which discard the high frequency information) will therefore essentially suppress the zero order or twin image terms, which is a nice feature of our algorithm.

VII. DISCUSSION

We have seen that the wavefronts reconstructed with the Fresnel transform from the simulated data agree with the theoretical gold standard and that the algorithm can be applied successfully to reconstruct real-world holographic data as well. Although ringing artifacts may be distinguished at fine scales, they tend to disappear as the scale gets coarser.

The presented method differs from the traditional reconstruction algorithms used in digital holography which implement an inverse Fresnel transform of the data. The Fresnel transform algorithms fall into two main classes [18]. The first approach [Fig. 11(a)], as described in [18], uses the convolution relation (1). It is implemented in the Fourier domain and needs two FFT's. The transformed function's sampling step T' is the same as that of the original function. The three terms—the image, the twin image (that is suppressed at all

scales in the Fresnellet algorithm) and the zero-order)—are visible in Fig. 11(a). The second method [Fig. 11(b)] uses the link with the Fourier transform (10) [4], [18]. The discretization of this relation requires only one FFT. As this method relies on the special interpretation of the spatial frequency variable as a rescaled space variable, the sampling step of the transformed function is $T' = \lambda d / (NT)$ where N is the number of samples in one direction. Therefore it depends on the distance, the wavelength and the number of measured samples. In particular if the number of samples in the x and y directions are not the same, e.g., in Fig. 11(b), the corresponding sampling steps do not agree. In the work of Cuche *et al.*, the parameters are set such that the reconstruction is at approximately one fourth the scale of the digitized hologram.

The first advantage of our approach is that it allows us to choose the sampling step on the reconstruction side. It can be any multiple $T' = mT$ for $m = 1, 2, 4, 8, \dots$. The computational cost of our algorithm is the same as that of a filtering in the Fourier domain; i.e., roughly the cost of two FFT's.

Also, as our method is based on the computation of inner products, it leaves more freedom for treating boundary conditions. One possibility to reduce the influence of the finite support of the CCD camera is to use weighted, or renormalized inner products.

More than just a Fresnel transform, our Fresnelet transform provides us with wavelet coefficients. A remarkable feature is that the energy of the unwanted zero-order and twin images is concentrated within the fine scale subbands. This opens up new perspectives for their selective suppression in the wavelet domain as an alternative to other proposed algorithms ([19], [20]). In addition, it allows us to apply simple wavelet-domain thresholding techniques to reduce the measurement noise in the reconstructed images.

VIII. CONCLUSION

We have constructed a new wavelet basis for the processing and reconstruction of digital holograms by taking advantage of the mathematical properties of the Fresnel transform. We have motivated our choice of B-splines as elementary building blocks based on a new uncertainty relation.

We have demonstrated that the method works and that it is applicable to the reconstruction of real data.

Our method offers several advantages: it allows to reconstruct at different user-specified and wavelength independent scales. Furthermore, reconstructions at coarse scale allow for optimal filtering of the zero-order and the twin image and also result in less noisy images.