



Management Decision

Human resource allocation in business process management and process mining: A systematic mapping study

Michael Arias, Rodrigo Saavedra, Maira R. Marques, Jorge Munoz-Gama, Marcos Sepúlveda,

Article information:

To cite this document:

Michael Arias, Rodrigo Saavedra, Maira R. Marques, Jorge Munoz-Gama, Marcos Sepúlveda, (2018) "Human resource allocation in business process management and process mining: A systematic mapping study", Management Decision, <https://doi.org/10.1108/MD-05-2017-0476>

Permanent link to this document:

<https://doi.org/10.1108/MD-05-2017-0476>

Downloaded on: 04 February 2018, At: 02:38 (PT)

References: this document contains references to 62 other documents.

To copy this document: permissions@emeraldinsight.com

The fulltext of this document has been downloaded 11 times since 2018*

Access to this document was granted through an Emerald subscription provided by emerald-srm:305060 []

For Authors

If you would like to write for this, or any other Emerald publication, then please use our Emerald for Authors service information about how to choose which publication to write for and submission guidelines are available for all. Please visit www.emeraldinsight.com/authors for more information.

About Emerald www.emeraldinsight.com

Emerald is a global publisher linking research and practice to the benefit of society. The company manages a portfolio of more than 290 journals and over 2,350 books and book series volumes, as well as providing an extensive range of online products and additional customer resources and services.

Emerald is both COUNTER 4 and TRANSFER compliant. The organization is a partner of the Committee on Publication Ethics (COPE) and also works with Portico and the LOCKSS initiative for digital archive preservation.

*Related content and download information correct at time of download.

Human resource allocation in business process management and process mining

Human
resource
allocation

A systematic mapping study

Michael Arias and Rodrigo Saavedra

*Department of Computer Science, School of Engineering,
Pontificia Universidad Catolica de Chile, Santiago, Chile*

Maira R. Marques

Department of Computer Science, Universidad de Chile, Santiago, Chile, and

Jorge Munoz-Gama and Marcos Sepúlveda

*Department of Computer Science, School of Engineering,
Pontificia Universidad Catolica de Chile, Santiago, Chile*

Received 6 May 2017
Revised 21 August 2017
Accepted 2 November 2017

Abstract

Purpose – Human resource allocation is considered a relevant problem in business process management (BPM). The successful allocation of available resources for the execution of process activities can impact on process performance, reduce costs and obtain a better productivity of the resources. In particular, process mining is an emerging discipline that allows improvement of the resource allocation based on the analysis of historical data. The purpose of this paper is to provide a broad review of primary studies published in the research area of human resource allocation in BPM and process mining.

Design/methodology/approach – A systematic mapping study (SMS) was conducted in order to classify the proposed approaches to allocate human resources. A total of 2,370 studies published between January 2005 and July 2016 were identified. Through a selection protocol, a group of 95 studies were selected.

Findings – Human resource allocation is an emerging research area that has been evolving over time, generating new proposals that are increasingly applied to real case studies. The majority of proposed approaches relate to the period 2011-2016. Journals and conference proceedings are the most common venues. Validation research and evaluation research are the most common research types. There are two main evaluation methods: simulation and case studies.

Originality/value – This study aims to provide an initial assessment of the state of the art in the research area of human resource allocation in BPM and process mining. To the best of the authors' knowledge, this is the first research that has been conducted to date that generates a SMS in this research area.

Keywords Business process management, Resource management, Process mining, Human resource allocation, Systematic mapping study

Paper type Literature review

1. Introduction

Business process management (BPM) is the art and science of overseeing how work is performed in an organization to ensure consistent outcomes and to take advantage of improvement opportunities (Dumas *et al.*, 2013). Typically, these improvement opportunities include reductions in cost and execution times, enhanced quality and efficiency, as well as better productivity of processes (Arias *et al.*, 2015). In recent years, the use of information systems in different organizations has increased, thereby facilitating the storage of information relating to the activities that are executed in distinct processes (e.g. case ID, activity name, timestamp, resource) in event logs. This information, also known as event



data, can be used to improve end-to-end processes (van der Aalst, 2016). Accordingly, there is an emerging discipline, called process mining, which focuses on extracting useful knowledge based on the information stored in the event logs (van der Aalst, 2016).

Process mining can be seen as a means to bridge the gap between Data Science and Process Science, where Data science refers to an interdisciplinary field that aims to extract real value from data, and Process Science refers to a broader discipline that combines knowledge from information technology and management sciences to improve and run operational processes (van der Aalst, 2016). Both BPM and process mining are interested in profoundly analyzing business processes.

In conjunction with the methods, techniques and tools created for the design, execution and analysis of operational business processes (van der Aalst, 2013), there is also a central aspect to consider within BPM and process mining: the resource perspective (Dumas *et al.*, 2013), also known as the organizational perspective (van der Aalst, 2016). This perspective focuses on the analysis of information related to the resources that are in charge of executing the activities of a business process (e.g. human resources, software systems, and equipment, among others) (Dumas *et al.*, 2013). This helps to generate insights into how the resources work and it facilitates a more in-depth study of their behavior regarding the processes (Guo *et al.*, 2013; Huang *et al.*, 2012a).

In particular, human resource allocation has been considered as a significant problem within the context of BPM (Huang *et al.*, 2012b; Wibisono *et al.*, 2015; Xu *et al.*, 2008; Zhao and Zhao, 2014), due to the influence that the correct allocation may have on the performance of the process (Liu *et al.*, 2014; Zhao and Zhao, 2014), on costs (Huang *et al.*, 2011; Obregon *et al.*, 2013), and on the efficient use of resources during the process execution (Fadol *et al.*, 2015; Kumar *et al.*, 2002; Xu *et al.*, 2008). As such, different approaches have been proposed in the literature with the aim of providing improved support to make the task of resource allocation more efficient, both to support the decision making of the individual in charge of the relevant process when selecting a candidate, as well as during the allocation of a resource for executing each process activity.

Due to the importance of resource allocation in BPM, the contribution process mining can make, and the large variety of approaches that have been proposed, we performed a systematic mapping study (SMS) (Petersen *et al.*, 2008). The aim of this paper is to identify and evaluate the number of research articles that have been published in the research area of human resource allocation (hereinafter and indistinctly, resource allocation) in BPM and process mining. Although such resources may be either human or non-human (Russell *et al.*, 2005), we only considered human resources since they play a fundamental role in terms of executing and supervising business processes (Havur *et al.*, 2015), and because human interactions form a substantial part of today's business processes (Schall, 2012).

In our opinion, a study is required that systematizes and classifies the resource allocation approaches proposed under this research area, and which identifies certain important aspects: the proposed approaches and the publishing vehicles used; the research types utilized; the evaluation methods utilized, and the use of real data to verify the proposed approaches; and a geographical breakdown to determine the distribution of different research groups at the international level. As such, this work provide a comprehensive overview for researchers and practitioners interested in understanding the level of maturity reached by this research area.

The SMS are based using the guidelines proposed by Petersen *et al.* (2008). Consequently, we applied the protocol to the set of 2,370 articles obtained from seven revised digital libraries, in order to filter them, and select a final amount of 95 primary studies. These primary studies were subsequently subjected to a process of information extraction in order to answer the following research questions:

RQ1. What are the most common publishing vehicles in which human resource allocation approaches have been published?

RQ2. What research types have been used in human resource allocation studies?

RQ3. Which evaluation methods are most frequently employed to validate human resource allocation approaches? Is real-life data involved?

RQ4. Which geographical areas have reported approaches to allocate human resources?

The rest of this paper is organized as follows. A literature review about the concepts of BPM, process mining and human resource allocation is documented in Section 2. Section 3 explains the need to perform an SMS. Section 4 describes the process followed to conduct the study. Section 5 presents the results obtained. Section 6 outlines the threats to the validity of the study. Finally, Section 7 concludes the paper and indicates the possible direction of future research.

2. Literature review

Business processes are essential for understanding how companies operate, and they also play an important role in the design and realization of flexible information systems (Weske, 2012). Companies have a number of processes associated with their daily activities (Cavalcante *et al.*, 2011). Their execution involves a collection of interrelated events and the activities or tasks to perform. Also, involves the decision points that affect the way in which the process is executed, and the performers, all with the objective of generating one or several results as final deliverable (Dumas *et al.*, 2013). BPM has emerged as a comprehensive process-centered discipline (Rosemann and vom Brocke, 2015), which focuses on business process (Roeser and Kern, 2015), and provides a series of concepts, methods, tools and techniques to support the analysis and an adequate process management, but also generate insights to improve business processes. To achieve these goals, it is necessary to have information about process execution, which can be used for a further process analysis.

BPM discipline can be seen as continuous cycle that involves a series of phases such as process identification; process modeling; process analysis; process redesign; process implementation and process monitoring and controlling (Dumas *et al.*, 2013). Accordingly, process mining is considered as a young research discipline that aims to extract knowledge from event logs available in today's information systems, and provides an important bridge between data-driven approaches and business process modeling and analysis (van der Aalst *et al.*, 2011). Through the use of process mining tools and techniques, the information about the processes and their activities can be analyzed from different process perspectives. Particularly, within the disciplines of BPM and process mining there is a rising interest in addressing research efforts to the resource perspective (Cabanillas, 2015; Zhao and Zhao, 2014).

The resource perspective (Dumas *et al.*, 2013) focuses on the study of the interaction of resources during the execution of a process. Business process activities can be performed by the company's employees manually or by the help of information systems, and is crucial that human resources and other enterprise resources play together well in order to achieve the company's business goals in an efficient and effective manner (Weske, 2012). Accordingly, one of the main challenges of this perspective relates to human resource allocation in business processes (Zhao and Zhao, 2014), since allocate resources is considered a central part of business processes (Huang *et al.*, 2012b; Rosemann and vom Brocke, 2015; Wibisono *et al.*, 2015; Xu *et al.*, 2008; Zhao and Zhao, 2014) and strategic management (Ball and Deshmukh, 2013; Bauer and Hammerschmidt, 2005; Okumus, 2003; Wudhikarn, 2016).

The appropriate selection and allocation of resources to an activity may have a direct impact on the performance and efficiency with which a process is executed. In an attempt to make this task more efficient, a large number of studies have been proposed by researchers

and practitioners over the last decade. As a consequence, there is now a plethora of studies that propose and apply different methods to allocate resources within BPM and process mining disciplines. For example, the Workflow Resource Patterns (Russell *et al.*, 2005) propose a group of resource patterns broken down into distinct categories (e.g. creation patterns, push and pull patterns), which can help demonstrate how resources can be used and represented in workflow systems. These resource patterns have been used across a variety of proposed approaches, providing support to the different allocation methods presented (Arias *et al.*, 2015; Cabanillas *et al.*, 2013, 2015; Stefansen *et al.*, 2008; Talib *et al.*, 2010; Tan and van der Aalst, 2006). For instance, Stefansen *et al.* (2008) utilize distinct resource patterns as part of the resource allocation language called SOFTALLOC, in order to be able to manage different restrictions (soft constraints) during dynamic resource allocation. Cabanillas *et al.* (2015) use a set of eight creation patterns to evaluate a proposed Resource Assignment Language (Cabanillas *et al.*, 2011), which is a domain-specific language used to establish the conditions for selecting candidates to participate in the execution of process activities.

Furthermore, other techniques have been used by distinct resource allocation methods, including Machine Learning algorithms (Huang, Lu and Duan, 2011; Huang, van der Aalst, Lu and Duan, 2011; Liu *et al.*, 2008; Ly *et al.*, 2005; Talib *et al.*, 2010; Xu *et al.*, 2014; Yingbo *et al.*, 2007), Markov models (Huang, van der Aalst, Lu and Duan, 2011; Koschmider *et al.*, 2011; van Hee *et al.*, 2007), data mining techniques (Huang, Lu and Duan, 2011; Sindhgatta *et al.*, 2016), constraints based-approaches (Barba *et al.*, 2011, 2013), and multi-agent systems (Hsieh and Lin, 2014; Kress *et al.*, 2007), among others.

According to several authors (Barba *et al.*, 2011; del-Rio-Ortega *et al.*, 2013; Zhao and Zhao, 2014), the control-flow process perspective (van der Aalst, 2016) has historically been the subject of more intense research activity compared to other process perspectives (e.g. resource). This could be an important reason why the management of resources within business processes has not reached the same level of maturity as other process perspectives (Cabanillas *et al.*, 2015). Consequently, further work is required to quantify the amount of studies reported and to provide a general overview of the research area of resource allocation. Despite of the existence of studies that collect information about surveys in BPM (Roeser and Kern, 2015), few surveys have considered the analysis of human resources management as part of their research focus. For instance, Zucchi and Edwards (1999) introduced a survey focusing on the aspects of human resource management (e.g. organizational structure and culture) regarding to business process re-engineering projects. Also, Huemann *et al.* (2007) conducted a survey that involves human resource management from the point of view of a project-oriented company. Similarly, Rolim Ensslin *et al.* (2013) performed a study about human resource allocation in a project management model based on knowledge demand. This study selected only 11 relevant papers on the topic of human resource management that focus on engineers' performance evaluation applied to a project management model. However, the conducted review does not consider approaches to allocate resources in business processes.

3. Performing a SMS

Systematic research may be divided into three parts: primary studies, secondary studies and tertiary studies. Accordingly, primary studies are new studies on a specific topic; secondary studies synthesize the current state of research on a specific topic; and tertiary studies provide a summary of all the secondary studies already completed and published (Jalali and Wohlin, 2012). Secondary studies require a more comprehensive and extensive investigation with regard to the particular domain of research.

There are two well-known procedures that focus on analyzing previous research: systematic literature review (SLR) and SMS. There are similarities and differences between

these secondary studies (Kitchenham *et al.*, 2011; Petersen *et al.*, 2015). Both perform similar steps for searching and selection of primary studies. However, they differ in the way the research questions, scope, analysis and dissemination of the results are applied. On the one hand, an SLR (Kitchenham, 2004) allows us to identify, evaluate and interpret all the available research related to specific research questions. An SLR focuses on very specific research questions that can be answered by empirical research, where every research question is answered and supported by detailed information obtained from individual research outcomes (results are aggregated). On the other hand, an SMS (Kitchenham and Charters, 2007; Petersen *et al.*, 2008), also known as Scoping Study (Petersen *et al.*, 2015), establishes if research evidence exists on a specific topic.

An SMS aims to discover research trends from the definition of general research questions (e.g. researchers, publication trends over time, types of studies, among others). The outcomes of an SMS are presented at a higher level of granularity, categorized according to the dimensions specified for the analysis and counts of the number of papers regarding distinct categories. More details about the differences between SLRs and SMSs can be found in Kitchenham *et al.* (2011) and Petersen *et al.* (2015).

B. Kitchenham (2004) proposed an approach to software engineering grounded on the evidence-based medicine research for systematic literature studies. In a more recent version, B. Kitchenham and Brereton (2013) included snowballing from distinct reference lists of identified papers as primary studies in order to identify possible additional articles relevant to the topic, but which were previously excluded due to failures related to the search string. However, they do not make an explicit recommendation in relation to either a forward snowballing or a backward snowballing as part of the procedure. A forward snowballing is a search for papers that have been cited in pre-identified primary studies. Meanwhile, a backward snowballing is the search for papers that have cited the pre-identified primary studies. Nevertheless, regardless of whether a forward or a backward snowballing is performed, the majority of secondary studies do not use this approach due to the extra amount of work it entails (Jalali and Wohlin, 2012). Sometimes, a full snowballing analysis is not necessarily needed, it is possible to perform a snowballing analysis of a percentage of the papers and evaluate the results, seeing how many papers were not considered. We performed an SMS since the domain area is not considered or known to be fully developed. So, a high-level analysis was done with the SMS, and later in the future an SLR will be considered.

The final product of a systematic literature study can be an SLR or an SMS (Kitchenham and Charters, 2007). Nonetheless, the procedures and guidelines of Kitchenham focus on SLR. Accordingly, and based on the procedure of B. Kitchenham (2004), Petersen *et al.* (2008) proposed their own detailed approach for SMSs. Under their proposition, the use of specific and clear guidelines that are related to the reliability and reproducibility of the results of secondary studies are mandatory. Thus, this enables other independent researchers to repeat and identify similar results in the set of papers defined as primary studies.

The use of SMS enables evidence to be synthesized and the most up-to-date information in a specific research domain or topic to be fully understood. We opted to conduct an SMS with the use of backward snowballing as a way to validate the set of primary studies selected.

4. Research mapping method

In the literature, a few studies were found that provide a systematic review about resource management (see Section 2). However, there is no study that reviews the primary studies in the research area of human resource allocation. In this SMS, we addressed the following objectives:

- to identify what evidence is available in the research area of human resource allocation in BPM and process mining; and

- to classify the primary studies in the aforementioned research area, with the aim of discovering research trends and characterizing the evidence according to important aspects, such as publishing vehicles, research types, evaluation methods and geographical analysis.

This section describes the mapping study conducted based on the process steps proposed by Petersen *et al.* (2008) (see Figure 1).

4.1 Definition of research questions

Considering the proposed objectives of this paper, we have subdivided our approach into clearly defined research questions (Definition of research questions) in order to focus on specific aspects of the overall evaluation. In devising these questions, we used the B. Kitchenham and Charters (2007) procedure, including the population, intervention, comparison, outcome and context (PICOC) structure. Table I shows the structure used. B. Kitchenham and Charters (2007) proposed the PICOC structure to capture the relevant aspects that must be considered when defining the research questions to be used in systematic studies. It should be noted that since the composition of this paper involved an SMS, the comparison of interventions does not apply.

As discussed, the research questions pertaining to an SMS are usually generic and related to a particular research trend, for example, to identify which regions and researchers are working in a particular domain, to understand the extent of publications relating to this domain in recent years, and how this research is being validated. Thus, our research questions are as follows. The first question is:

RQ1. What are the most common publishing vehicles in which human resource allocation approaches have been published?

Answering this question will help understand the type of venue where the relevant research is being published, which reflects the maturity of the domain. For example, far more validation is needed in journal papers than conference or workshop papers.

The second research question is:

RQ2. What research types have been used in human resource allocation studies?




Figure 1. Systematic mapping study process by Petersen *et al.* (2008)

Criteria	Description
Population	We consider studies that describe how human resources are allocated in business processes
Intervention	Describe approaches (methods, strategies, techniques and tools) that are used to allocate human resources
Comparison	n/a
Outcome	Describe the effectiveness of the allocation of resources
Context	Describe the domain of use: in our case, studies in the BPM and process mining disciplines

Table I. Structure proposed by Kitchenham and Charters (2007) to devise research questions

Responding to this question will also help discover the maturity of this research area: a high number of primary studies classified as proposals indicates that the domain is new; a large amount of validation studies signals an increasing interest in the area and shows that efforts in that direction are becoming more fruitful; and evaluations in real scenarios mean that the domain has already accrued a certain amount of knowledge which is ready to be applied.

The third research question is:

RQ3. Which evaluation methods are most frequently employed to validate human resource allocation approaches? Is real-life data involved?

This question offers insight as to whether or not there is a consensus among researchers in terms of how research being conducted in this area must be validated.

The final research question is:

RQ4. Which geographical areas have reported approaches to allocate human resources?

This question would help identify clusters of knowledge according to international regions, as well as to determine specific research groups that are dedicated to this particular research area.

4.2 Conduct search strategy

Based on these questions, and following a thorough review of the scope of certain search strategies (Review Scope), we identified the keywords to be used in the identification of the primary studies. Subsequently, we performed the Conduct Search phase. Table II shows the keywords used, in addition to related synonyms that were also considered.

The search for primary studies was undertaken using the following digital libraries: ACM Digital Library, IEEE Xplore Digital Library, ScienceDirect, Scopus, Springer Link, Wiley and Web of Science. Notice that all publishing vehicles included in this paper were retrieved from the aforementioned digital libraries. Unfortunately not all search digital library operate in the same way or respect the same rules for searching strings, thus, a number of workarounds were performed during the first stage of our research (see Table III).

Table IV shows the specific search strings used in each digital library including any relevant (aforementioned) restrictions. Table V shows the results obtained from the digital libraries searches. A total of 2,370 primary studies were selected as a result of the All Papers phase. After performing the digital libraries searches, we excluded any duplicate articles identified (420 articles). Thus, 1,950 articles were selected for the Screening of Papers phase.

4.3 Screening of Papers

In the Screening of Papers phase, the 1,950 papers were screened to evaluate whether, according to their titles and abstracts, they should be included in this SMS. Petersen *et al.* (2008) proposed two phases for initial analysis Screening of Papers; first, to conduct a search of only the titles of papers, and second, to perform another Keywording search using Abstracts, considering only abstracts. Therefore, the Keywording search using Abstracts phase will not be mentioned again in this article because it was applied in conjunction with the Screening of Papers phase. We decided to merge these two searches into one to

Keywords	Synonyms
Resource allocation	“resource allocation,” “resource assignment,” “staff assignment,” “staff allocation,” “task allocation,” “task assignment” and “resource patterns”
Process mining	“process mining”
Business process management	“business process management”

Table II.
Search string

MD

Digital library	Description
ACM	The search was restricted to publication titles and abstracts. Since ACM subscribers are unable to export more than one article at a time, the articles had to be retrieved one by one and saved on an ACM personal binder. Only once all the articles searched for had been placed in the binder was it possible to export the primary studies and select the file format
IEEE Xplore	The search was also restricted to titles and abstracts of publications via the selection of the “Metadata Only” option, in addition to the command search option. IEEE enables users to export in BibTeX files related to the search performed
ScienceDirect	The search was conducted by selecting the advanced search followed by the expert search, which ensures more accurate search strings. It should be noted that the ScienceDirect library contains works from a broad range of areas, therefore, the searches were restricted to the subject of Computer Science, by adding the following sentence to the end of the search string: [All Sources (Computer Science)]. The primary studies selected were saved in a BibTeX file
Scopus	The search was restricted to publication titles, abstracts and keywords, by adding the words “TITLE-ABS-KEY” before all search terms. As in the case with the ScienceDirect digital library, Scopus includes a broad range of works covering multiple areas, thus all searches were restricted to the subject of Computer Science by adding the following sentence at the end of the search string: AND (LIMIT-TO (SUBJAREA, “COMP”))
Springer Link	The advanced search option was used. As with ScienceDirect and Scopus, Springer is also multidisciplinary. Therefore, searches were restricted to Computer Science publications by adding the following sentence to the end of the search string: AND (SU = Computer Science) The search resulted in primary studies being saved in a CSV file
Wiley	There was no search restriction with this library, thus the search was performed across all fields (using the tag All Fields). Wiley limits exports to just 20 primary studies per session, but exports are in BibTeX format
Web of Science	The advanced search option was utilized, in addition to searches by titles and topics, which were exported in a BibTeX file

Table III.
Specific search conditions for each digital library

Digital library	Search string
ACM	(“resource patterns” OR “resource allocation” OR “resource assignment” OR “staff allocation” OR “staff assignment” OR “task allocation” OR “task assignment”) AND (“process mining” OR “business process management”)
IEEE Xplore	((“resource patterns” OR “resource allocation” OR “resource assignment” OR “staff assignment” OR “staff allocation” OR “task allocation” OR “task assignment”) AND (“process mining” OR “business process management”))
ScienceDirect	(“resource patterns” OR “resource allocation” OR “resource assignment” OR “staff assignment” OR “staff allocation” OR “task allocation” OR “task assignment”) AND (“process mining” OR “business process management”)
Scopus	TITLE-ABS-KEY ((“resource patterns” OR “resource allocation” OR “resource assignment” OR “staff assignment” OR “staff assignment” OR “staff allocation” OR “task allocation” OR “task assignment”) AND (“process mining” OR “business process management”))
Springer Link	(“resource patterns” OR “resource allocation” OR “resource assignment” OR “staff assignment” OR “staff allocation” OR “task allocation” OR “task assignment”) AND (“process mining” OR “business process management”)
Wiley	(“resource patterns” OR “resource allocation” OR “resource assignment” OR “staff assignment” OR “staff allocation” OR “task allocation” OR “task assignment”) AND (“process mining” OR “business process management”) in All Fields
Web of Science	(TS = ((“resource patterns” OR “resource allocation” OR “resource assignment” OR “staff assignment” OR “staff allocation” OR “task allocation” OR “task assignment”) AND (“process mining” OR “business process management”)) OR TI = ((“resource patterns” OR “resource allocation” OR “resource assignment” OR “staff assignment” OR “staff allocation” OR “task allocation” OR “task assignment”) AND (“process mining” OR “business process management”))) AND LANGUAGE: (English)

Table IV.
Specific search strings for each digital library

maximize the performance and effort required. As such, all articles were screened by at least two of the authors of this paper. If no consensus was reached regarding whether or not to include the article, a third author was required to screen the article and pass the deciding vote. The systematic mapping process applied is outlined in further detail in Figure 2.

The inclusion criteria used during the Screening of Papers phase were as follows:

- (1) peer-reviewed articles in conferences, workshops, journals, or book parts;
- (2) the article was published between January 2005 and July 2016;

Digital library	Search results
ACM	17
IEEE Xplore	19
ScienceDirect	268
Scopus	1,184
Springer Link	754
Wiley	110
Web of Science	18
Total	2,370

Table V.
Number of papers
retrieved from each
digital library




Figure 2.
Systematic mapping
process performed
considering (Petersen
et al., 2008) procedure

- (3) the article is published in English;
- (4) the article proposes a human resource allocation approach within the domain of BPM or process mining; and
- (5) the article includes a method/experiment/case study to validate the proposed approach.

The reason for choosing the period between January 2005 and July 2016 was motivated by the need to provide a better support to the resource perspective, focusing on the resource allocation research area. Zur Muehlen (2004) develops guidelines of organizational aspects including resource allocation as a formal specification of resources involved in business process execution. Furthermore, the creation of the Workflow Resource Patterns (Russell *et al.*, 2005) as a form of capture the various ways in which resources are represented and utilized in workflows, encouraged the appearance of new resource allocation approaches within BPM. Those approaches can be seen as an effort to provide a comprehensive treatment of the resource perspective. In order to discover the trends in this research area, we began our search in January 2005.

The exclusion criteria used to exclude articles were as follows:

- (1) the article is not available online;
- (2) articles in which the full text is not available;
- (3) the article does not propose a human resource allocation approach oriented to business processes;
- (4) the article only concerns the resource behavior; and
- (5) the article only describes the creation of an organizational meta-model.

Following the conclusion of the Screening of Papers phase, a set of 150 articles that meet our inclusion and exclusion criteria were obtained. According to Petersen *et al.* (2008), this phase marks the point at which researchers possess a series of Relevant Papers that require reading in full. Table VI shows the breakdown of the amount of articles included during the mapping process.

The 150 articles selected after the Screening of Papers were read in their entirety by at least two authors, in an independent manner. If no consensus was forthcoming regarding their inclusion or exclusion based on the relevant criteria, the authors discussed the paper in question in an attempt to reach an agreement. If no such agreement was possible, a third author was required to read the article and cast the deciding vote. Overall, the authors read a total of 150 papers, which were subsequently reduced after full reading to the final set of 94 primary studies to be included in this SMS.

4.4 Data extraction

The data extraction process used in this paper was designed to answer the four research questions. Furthermore, each article that passed the screening process was analyzed and the necessary data were extracted in line with the facets established in Tables VII and VIII.

Table VI.
Results obtained
after the application
of the guidelines

Phase	Amount of papers
All papers	2,370
After removing duplicates	1,950
After screening of papers	150
After full reading	94
Snowballing	1

The information extracted from the articles also included: title, year, venue, author (s) and geographical region. Information related to the facets were, in some cases, stated by the authors of the articles, whereas in other cases they were implied or placed in a category that states that the author makes no clear mention of the facet. In this paper, none of the articles were classified according to more than one facet.

Subsequent to performing Petersen *et al.*'s (2008) procedure for an SMS, we conducted an evaluation of whether snowballing was required. According to Jalali and Wohlin (2012), a backward snowballing is preferable when the domain area is not considered or known to be fully developed. In order to evaluate whether a snowballing for the full set of primary studies was required, we performed a backward snowballing with a small sample of the primary studies (10 percent). This sample was selected by the most senior author of this paper and was designed to represent the most relevant articles identified. As a result, only one paper met our inclusion/exclusion criteria, although even this was a marginal inclusion. Thus, we concluded that it was unnecessary to perform a full backward snowballing for this SMS.

5. Results obtained

The results of the data extraction meant that 95 articles were selected as primary studies, outlined in Table AI. Based on the results obtained, it is possible to answer the proposed research questions, as follows.

5.1 Common publishing vehicles

Figure 3 shows the distribution of the studies by venue. The Journal is the most common type of publishing vehicle, accounting for 42 studies (44 percent); followed closely by Conference proceeding with 39 studies (41 percent); Workshop proceeding with 12 studies (13 percent); and Book parts, with 2 studies (2 percent). Figure 4 shows the distribution of venues per year. In general, it reveals that the majority of proposed approaches (67 primary studies, 71 percent) relate to the period 2011-2016.

Journals usually relate to collections of academic articles that focus on publishing original research work written by researchers and experts in a particular discipline. The majority of journals are based on a peer-review evaluation process. This involves experts in the field who are responsible for reviewing and evaluating the submitted articles and

Research type	Description
Proposal of solution	"A novel solution for a problem or new significant extension to an existing technique"
Validation research	"Investigating a proposed solution, which is novel and has not yet been implemented in practice. Investigations are carried out systematically, i.e., prototyping, simulation, experiments, mathematical systematic analysis and mathematical proof of properties"
Evaluation research	"Evaluating a problem or an implemented solution in practice, i.e., case studies, field studies and field experiments"

Source: Based on Nguyen *et al.* (2017)

Table VII.
Classification of
research types

Evaluation method	Description
Running example	Uses a hypothetical execution of a business process
Simulation	Execute the experimental/simulation using synthetic data
Case study	Implement a case study using real-life data
Several case studies	Implement two or more case studies using real-life data

Source: Based on Prat *et al.* (2015)

Table VIII.
Classification of
evaluation methods




Figure 3.
Primary studies
by venue




Figure 4.
Primary studies
publication per year

deciding whether to accept them for publication in the journal. Typically, several review iterations are performed.

Table IX shows the most relevant journals in which primary studies have been published. Those journals are: *Data and Knowledge Engineering*, with four publications; *Expert Systems with Applications*, with three publications; *Information and Software Technology*, with three publications; *Concurrency and Computation: Practice and Experience*, with two publications; *Computers in Industry*, with two publications; *Computers and Industrial Engineering*, with two publications; *Information Systems*, with two publications; *International Journal of Computer Integrated Manufacturing*, with two publications; and *Knowledge-based Systems*, also with two publications. Therefore, it is possible to note that no particular journal stands out above all others. Moreover, the distribution of publications across the entire period researched is not homogeneous. From 2006 to 2010, only seven studies were published in journals. This amount increased fivefold between 2011 and 2016, in which 2011 (ten studies in total) and 2014 (nine in total) were the most active years in terms of articles publication in journals.

A Conference is generally regarded as a meeting in which researchers and practitioners present their work and discuss ideas about a particular discipline within the research community.

Publishing vehicle	Name	Article ID	
Journals	<i>Data and Knowledge Engineering</i>	P4, P10, P38, P64	
	<i>Expert Systems with Applications</i>	P23, P33, P51	
	<i>Information and Software Technology</i>	P35, P76, P86	
	<i>Concurrency and Computation: Practice and Experience</i>	P41, P60	
	<i>Computers in Industry</i>	P13, P70	
	<i>Computers and Industrial Engineering</i>	P54, P80	
	<i>Information Systems</i>	P90, P95	
	<i>International Journal of Computer Integrated Manufacturing</i>	P34, P42	
	<i>Knowledge-Based Systems</i>	P14, P50	
	<i>Applied Intelligence</i>	P66	
	<i>Computer Standards and Interfaces</i>	P75	
	<i>Cybernetics and Systems</i>	P3	
	<i>Dynamics in Logistics</i>	P29	
	<i>Engineering Applications of Artificial Intelligence</i>	P31	
	<i>Enterprise Information Systems</i>	P65	
	<i>IEEE Transactions on Knowledge and Data Engineering</i>	P36	
	<i>IEEE Transactions on Systems, Man, and Cybernetics – Part A: Systems and Humans</i>	P46	
	<i>International Journal of Business Information Systems</i>	P93	
	<i>International Journal of Industrial and Systems Engineering</i>	P30	
	<i>International Journal of Production Research</i>	P56	
	<i>Journal of Artificial Intelligence Research</i>	P20	
	<i>Journal of Decision Systems</i>	P78	
	<i>Journal of Information and Computational Science</i>	P61	
	<i>Journal of Intelligent Manufacturing</i>	P73	
	<i>Journal of Society for e-Business Studies</i>	P71	
	<i>Knowledge and Information Systems</i>	P92	
	<i>Ocean Engineering</i>	P72	
	<i>World Wide Web Internet and Web Information Systems</i>	P74	
	Conferences	International Conference on Business Process Management	P2, P6, P11, P16, P55, P62
		Americas Conference on Information Systems	P21, P48, P52
		International Conference on Computer Supported Cooperative Work in Design	P5, P53, P68
		International Conference on Service-Oriented Computing	P37, P63, P82
Asia-Pacific Conference on Business Process Management		P58, P88	
International Conference on Software and System Process		P67, P84	
ACM Symposium on Applied computing		P7	
Conference on Technologies and Applications of Artificial Intelligence		P87	
Construction Research Congress		P77	
European Conference on Information Systems		P44	
Information Systems Development		P59	
Hawaii International Conference on System Sciences		P8	
International Conference on Advanced Information Systems Engineering		P94	
International Conference on Availability, Reliability and Security		P28	
International Conference on Cloud and Green Computing		P45	
International Conference on Computer and Information Sciences		P69	
International Conference on Enterprise Information System		P12	
International Conference on Intelligent Computing		P91	
International Conference on Services Computing		P43	
International Conference on Smart Grids and Green IT Systems		P79	
International Conference on Software Engineering Advances	P15		

(continued)

Table IX.
Primary studies
published in journals,
conferences,
workshops and
book part

Publishing vehicle	Name	Article ID
	International Conference on Subject-Oriented Business Process Management	P47
	International Conference on Web Services	P17
	International Symposium on Technology Management and Emerging Technologies	P85
	New World Situation: New Directions in Concurrent Engineering	P24
	On the Move to Meaningful Internet Systems	P19
	Symposium on Theoretical Aspects of Software Engineering	P9
Workshops	Business Process Management Workshops	P1, P25, P39, P40, P57, P81, P83
	Business Information Systems Workshops	P32
	IEEE Workshop on Principles of Advanced and Distributed Simulation	P27
	International Conference on Data Mining Workshops	P22
	International Workshop on Agents and Data Mining Interaction	P18
	Workshop Proceedings Advances in Petri Nets and Concurrency	P26
Book parts	<i>S-BPM in the Wild: Practical Value Creation</i>	P89
	<i>Service-Oriented Crowdsourcing</i>	P49

Table IX.

Typically, the review process for conference papers includes the following steps: a predefined deadline for paper submission; only one review iteration; a program committee (or review committee) that reviews and discusses the submitted articles and makes a final decision on which articles are accepted; and notification to the authors, whereby they are informed as to whether their research paper was accepted or rejected. Generally, conference articles that follow a peer-reviewed process are subsequently published in the conference proceedings.

The most relevant conferences were as follows: the International Conference on Business Process Management, with six publications; the Americas Conference on Information Systems (AMCIS), with three publications; the International Conference on Computer Supported Cooperative Work Design, with three publications; the International Conference on Service-oriented Computing, with three publications; the Asia-Pacific Conference on Business Process Management, with two publications; and the International Conference on Software and System Process with two publications. All the other conferences produced only one publication. It is also noteworthy that articles have been published during conferences throughout the analysis period (January 2005-July 2016). Since 2010, the number of conference articles increased. This could be interpreted as a growing trend in which ideas related to the research area of resource allocation are being more frequently discussed among peers during conferences. Furthermore, it is possible to observe that the International Conference on Business Process Management stands out as the conference in which the greatest number of articles was presented.

A Workshop is a type of academic event that is smaller than a conference, and in general, the goal of which is to explore a research area and encourage research articles that focus on a specific topic. Workshops traditionally follow a review process to evaluate all submissions through a program committee, and the accepted papers are subsequently published in the proceedings of the workshop itself, or in conjunction with the conference within which the workshop is co-located. Regarding the workshops analyzed in this SMS, seven studies presented herein stem from workshops that took place as part of the International Conference on Business Process Management. No single workshop produced more than one article that has been classified as a primary study. As can be seen in Figure 3, studies are published in workshops with less frequency than in journals or conferences.

Similar to the case of conferences, it was not possible to find a homogeneous distribution in relation to the amount of publications emanating from workshops. Clearly, the workshops executed as part of the International Conference on BPM (e.g. International Workshop on Business Process Intelligence (BPI), International Workshop on Decision Mining and Modeling for Business Processes (DeMi-MoP)) are more noteworthy than the others. This makes it possible to confirm that the focus of this particular conference, and its associated workshops, was aligned closely with the interests pertaining to research in resource allocation.

Finally, the Book parts venue refers to chapters of books that are written with a focus on particular topics. This venue is subject to a rigorous review and approval process prior to publication. The publishing vehicle relating to sections of books reported only two publications: Crowdsourcing Tasks in BPEL4People (Schall, 2012), in the book *Service-Oriented Crowdsourcing* (2012); and Role and Rights Management (Lawall *et al.*, 2015), published in the book *S-BPM in the Wild* (2015).

5.2 Distribution of primary studies in terms of research types

Figure 5 shows the distribution of distinct resource allocation approaches according to the classification of research types mentioned by Wieringa *et al.* (2006), and discussed in Petersen *et al.* (2015), which aims to organize studies. The research types considered were: proposal of solution, validation research and evaluation research (outlined in Table VII). Table X shows the primary studies according to research types.

Figure 6 shows that 52 percent of primary studies (50 studies) had applied validation research in order to evaluate the proposed human resource allocation approaches, thereby creating a prototype or tool, as well as having executed experiments using simulated or synthetic data. Also, 34 percent of primary studies (32 studies) were produced using evaluation research. This research type shows an increase in the amount of primary studies during the second half of the analysis period regarding the validation of the allocation approaches by means of case studies using real data (see Figure 5). This can be understood




Figure 5.
Research types used
to develop human
resource allocation
approaches

Research type	Article ID
Proposal of solution	P1, P5, P6, P9, P15, P16, P40, P29, P35, P70, P77, P78, P85
Validation research	P2, P3, P4, P10, P11, P12, P17, P18, P19, P20, P21, P22, P24, P25, P26, P27, P28, P32, P36, P37, P39, P41, P43, P44, P45, P46, P47, P49, P52, P53, P59, P60, P61, P63, P64, P67, P68, P72, P73, P74, P75, P79, P81, P83, P84, P87, P89, P90, P95
Evaluation research	P7, P8, P13, P14, P23, P30, P31, P33, P34, P42, P38, P48, P50, P51, P54, P55, P56, P57, P58, P62, P65, P69, P71, P76, P80, P82, P86, P88, P91, P92, P93, P94

Table X.
Primary studies
classified by
research type




Figure 6.
Distribution of
research types

from the need to validate the proposed approaches in real business scenarios, as well as to analyze the benefits that might be generated for process owners at the moment of selecting and allocating resources.

Only 14 percent of primary studies (13 studies) were classified according to the proposal of solution type, whereby 9 of which were compiled between 2005 and 2011. This small number can be understood in light of the maturity level currently sought by this research area, which in turn, naturally results in greater numbers of studies following the validation and evaluation research types. There is a tendency in which the proposed resource allocation approaches are not only validated by means of experiments that use synthetic data and the implementation of prototypes and/or tools, but also that engage in the practical implementation of a solution that runs case studies. As can be seen in Figure 5, since 2011, there has been no clear distinction between validation research and evaluation research. This may signify that this particular research area is emerging and is responsible for generating a large amount of ideas that are being evaluated, yet which require consolidation to be subsequently validated by means of applications in real contexts.

5.3 Distribution of primary studies in terms of evaluation methods

Having been inspired by Prat *et al.* (2015), the following evaluation methods were defined: running example, simulation, case study, and several case studies (outlined in Table VIII). Notice that in a single article, more than one evaluation method might have been used, but only the most complex one is reported. Figure 7 provides a breakdown of the distribution of evaluation methods per year and Table XI classifies the primary studies conforming those evaluation methods. As can be seen, the highest concentration of studies that use case studies was compiled from 2011 onwards, compared to studies that merely followed the strategy of running example, which was more common in the first half of the analysis period.

In turn, simulation has been present in studies throughout the entire analysis period, having been used with greater frequency since 2010. This indicates that the evaluation method through simulation is a very common method with which the approaches for allocating resources have been evaluated. However, the execution of case studies using real-life data is an evaluation method that is becoming increasingly prevalent in approaches for allocating resources.



Human
resource
allocation

Figure 7.
Evaluation methods
per year

Evaluation method	Article ID
Running example	P1, P5, P6, P9, P15, P16, P40, P29, P35, P70, P77, P78, P85
Simulation	P2, P3, P4, P8, P10, P11, P12, P17, P18, P19, P20, P21, P22, P24, P25, P26, P27, P28, P32, P36, P37, P39, P41, P43, P44, P45, P46, P47, P49, P52, P53, P59, P60, P61, P63, P64, P67, P68, P72, P73, P74, P75, P79, P81, P83, P84, P87, P89, P90, P95
Case study	P7, P13, P14, P23, P30, P31, P33, P34, P42, P38, P48, P50, P51, P55, P57, P58, P62, P65, P69, P71, P76, P80, P82, P86, P88, P91, P92, P93, P94
Several case studies	P54, P56

Table XI.
Primary studies
classified by
evaluation method

To summarize, Figure 8 shows that just over half of the primary studies (51 studies – 54 percent) used simulation as their evaluation method. This result is unsurprising since it is a common practice to recreate a work scenario, implement a prototype or a tool, and conduct an experimental evaluation using synthetic data in order to demonstrate the usefulness of the proposed approaches. The second most widely used evaluation method was case study (29 studies – 30 percent), reflecting an increasing interest in being able to perform the validation of the proposed approaches in real-life scenarios, using real-life data.

In addition, 13 primary studies (14 percent) applied only the running example method to illustrate their approaches. In this case, the authors used a hypothetical execution of a business process in order to introduce their allocation approaches and, through the running




Figure 8.
Evaluation methods

example, illustrate the use of the proposed solution. Finally, only two primary studies (2 percent) reported more than one case study to evaluate their respective approaches. It is also noteworthy (see Figure 7) that the simulation method was present across all the years of the analysis period of this paper, compared to the case study method, which shows a growing trend only in the last five years. This demonstrates that the research area of resource allocation is progressing in the direction of studies based on experience, validating the proposed approaches in real cases.

5.4 Geographical analysis

Five different geographical areas were found in which human resource allocation approaches have been proposed (see Figure 9). There are a total of 23 different countries in which allocation approaches have been reported. This is broken down as follows: countries from Asia (43 studies – 46 percent), including China, with 22; Korea, with 6; Taiwan, with 5; India, with 3; Malaysia, with 3; Indonesia, with 2; the United Arab Emirates and Japan, with 1 each. Countries from Europe (41 studies – 43 percent): Germany, with 14; Austria, with 10; the Netherlands, with 6; Spain, with 3; Greece, with 2; and Sweden, the UK, Belgium, Poland, Denmark, and Italy, with 1 each. Countries from Oceania (5 studies – 5 percent): Australia, with all 5. Countries from North America (4 studies – 4 percent): the USA, with all 4. Countries from Latin America (2 studies – 2 percent): Argentina and Chile, with 1 each. There is no evidence of approaches to allocate resources from Africa.

By looking in greater detail, Figure 10 shows the geographical distribution of studies per year. It can be seen that, since 2005, there has been a growing trend of increasing numbers of studies across all regions, except North America, where four studies have been published over the course of four separate years (one per year), and in Latin America, where publications only began in 2015. Furthermore, it is possible to observe that both Asia and

Figure 9.
Regional origin
of the primary
studies selected





Figure 10.
Region studies
per year



Europe have published studies every year, while in Oceania nothing has been published since 2013. This finding could represent a growing worldwide interest in the area of resource allocation, with China standing out as the leader within this wider trend.

Among the research groups, we can highlight the Vienna University of Economics and Business (WU), Austria, with six studies; the Tsinghua University and the Zhejiang University, China, with four studies each; and the University of Karlsruhe, Germany, with three studies.

6. Threats to validity

Construct validity reflects the extent to which the phenomenon under study genuinely represents the area conceived by researchers and the subject being investigated, in line with the relevant research questions. The number of articles found herein indicates that the search terms used were well defined and reported. To reiterate, only data available between January 2005 and July 2016 were considered.

Reliability relates to data collected and the analysis thereof, in order to gauge whether it was conducted in such a way that can be repeated by others. The search terms were defined according to a standard procedure, while mapping was undertaken by following a detailed guideline which is described herein, in order to facilitate its replication by third parties. The extracted information could also be a source of reliability concern since different keyword searching mechanisms exist for articles in each of the online digital libraries. We adapted the search strings as described in the methodology (see Subsection 4.2) according to each online digital library. To mitigate the reliability threat in relation to the keywords and article-reading selection processes, two authors performed the data extraction. If no consensus was reached among the authors, a discussion meeting was held. If consensus was still lacking, a third author was required to read the article in question and pass final judgment. The results obtained could be the subject of distinct limitations relating to the automated search engines used in this paper. There is a possibility that some primary studies might have been omitted. The studies considered herein were those that met the inclusion criteria and were not rejected on the basis of the exclusion criteria.

Internal validity is related to the classification of each article according to the data collected by the authors. External validity, on the other hand, is concerned with the generalization of results. Overall, a mapping study does not generate any particular conclusion (does not go into further details), it presents the data collected from the primary studies, as well as their results. The obtained results are generalized and limited to the researched period and the approaches published in the research area of human resource allocation with only BPM and process mining disciplines. We included only peer-reviewed articles, therefore other publishing vehicles (e.g. master thesis) were not considered.

7. Conclusions and future work

This paper presented the results of an SMS of existing articles in the research area of human resource allocation in BPM and process mining. The results obtained reflect a growing interest in working in this particular research area over the last decade. To compile this work, we have followed a protocol of conducting mapping studies to create an initial classification of the research published in this research area; something that was previously lacking. The work undertaken helps us answer four questions that aim to generate greater understanding in relation to: common publishing vehicles; research types used; evaluation methods utilized; and geographic distribution. The scope of this SMS covers 95 primary studies that have been published across different publishing vehicles.

The results confirm that the task of allocating resources is an emerging research area in BPM and process mining. Results also demonstrate that a large number of researchers have dedicated their time and effort to identifying ways to enhance the efficiency of resource

allocation in these two disciplines. With regard to the first research question, Journals represent the most commonly used venue (44 percent), followed by Conferences (41 percent), Workshop (13 percent), and Book parts (2 percent). There is no clear preference for a specific publishing method. In some research areas, journals are more relevant than conferences, or vice versa. However, in the human resource allocation research area, both venues are equally relevant. In relation to the second research question, the most frequently used research types are validation research and evaluation research. This demonstrates that there is a trend whereby human resource allocation approaches are not only validated by means of experiments that use synthetic data and the implementation of prototypes and/or tools, but also via the application of case studies. In the third research question, we identified that the categories of simulation (54 percent) and case study (30 percent) are the most commonly used evaluation methods in the primary studies. The increasing use of case studies as evaluation method promotes the maturity level of the research area. This greater maturity level in turn will require researchers in the future to assess their proposals in real environments. Finally, the geographic analysis shows that Asia (46 percent) and Europe (43 percent) are the regions with the highest concentration of studies in the human resource allocation research area, compared to a limited number of articles in Oceania (5 percent), North America (4 percent) and Latin America (2 percent).

This SMS can now serve as a reference guide about articles that have been published in this research area, enabling researchers to classify the proposed studies and ensuring the provision of an overview of the work compiled in this discipline over the course of the last decade.

We plan to extend this work further to produce a more in-depth analysis, introducing additional elements into the systematic evaluation. We plan to identify the main business drivers that are considered by resource allocation approaches, the algorithms and tools, the criteria for assessing the resources and the process domains that are frequently used to evaluate the proposed approaches. This will help to determine current challenges, identify opportunities for future research, and the key aspects that need to be considered when allocating human resources in business processes.

References

- Arias, M., Rojas, E., Munoz-Gama, J. and Sepúlveda, M. (2015), "A framework for recommending resource allocation based on process mining", Business Process Management Workshops, 13th International Workshops, Innsbruck, August 31-September 3, Revised Papers, pp. 458-470.
- Ball, D.R. and Deshmukh, A. (2013), "A cooperative options-based strategy for coordinating supply chain and resource allocation decisions", *International Journal of Management and Decision Making*, Vol. 12 No. 3, pp. 259-285.
- Barba, I., Weber, B. and Valle, C.D. (2011), "Supporting the optimized execution of business processes through recommendations", Business Process Management Workshops, International Workshops, Clermont-Ferrand, August 29, Revised Selected Papers, Part I, pp. 135-140.
- Barba, I.A., Weber, B.B., Del Valle, C.A. and Jiménez-Ramírez, A.A. (2013), "User recommendations for the optimized execution of business processes", *Data and Knowledge Engineering*, Vol. 86, pp. 61-84.
- Bauer, H.H. and Hammerschmidt, M. (2005), "Customer-based corporate valuation: integrating the concepts of customer equity and shareholder value", *Management Decision*, Vol. 43 No. 3, pp. 331-348.
- Cabanillas, C. (2015), "Enhancing the management of resource-aware business processes", *AI Communications*, Vol. 29 No. 1, pp. 237-238.
- Cabanillas, C., Resinas, M. and Cortés, A.R. (2011), "RAL: a high-level user-oriented resource assignment language for business processes", Business Process Management Workshops, International Workshops, Clermont-Ferrand, August 29, Revised Selected Papers, Part I, pp. 50-61.

-
- Cabanillas, C., Resinas, M., del-Río-Ortega, A. and Cortés, A.R. (2015), "Specification and automated design-time analysis of the business process human resource perspective", *Informations Systems*, Vol. 52, pp. 55-82.
- Cabanillas, C., García, J.M., Resinas, M., Ruiz, D., Mendling, J. and Cortés, A.R. (2013), "Priority-based human resource allocation in business processes", *Service-Oriented Computing – 11th International Conference, ICSOC, Berlin, December 2-5*, pp. 374-388.
- Cavalcante, S., Kesting, R. and Ulhoi, J. (2011), "Business model dynamics and innovation:(re) establishing the missing linkages", *Management Decision*, Vol. 49 No. 8, pp. 1327-1342.
- del-Río-Ortega, A., Resinas, M., Cabanillas, C. and Cortés, A.R. (2013), "Defining and analysing resource-aware process performance indicators", *Proceedings of the CAiSE'13 Forum at the 25th International Conference on Advanced Information Systems Engineering (CAiSE), Valencia, June 20*, pp. 57-64.
- Dumas, M., Rosa, M.L., Mendling, J. and Reijers, H.A. (2013), *Fundamentals of Business Process Management*, Springer, Heidelberg, Berlin.
- Fadol, Y., Barhem, B. and Elbanna, S. (2015), "The mediating role of the extensiveness of strategic planning on the relationship between slack resources and organizational performance", *Management Decision*, Vol. 53 No. 5, pp. 1023-1044.
- Guo, H., Brown, R. and Rasmussen, R. (2013), "Human resource behaviour simulation in business processes", *Information Systems Development, Reflections, Challenges and New Directions, Proceedings of ISD 2011, Heriot-Watt University, Edinburgh, August 24-26*, pp. 167-178.
- Havur, G., Cabanillas, C., Mendling, J. and Polleres, A. (2015), "Automated resource allocation in business processes with answer set programming", *Business Process Management Workshops, 13th International Workshops, Innsbruck, August 31-September 3, Revised Papers*, pp. 191-203.
- Hsieh, F.S. and Lin, J.B. (2014), "A multiagent approach for managing collaborative workflows in supply chains", *Proceedings of the 2014 IEEE 18th International Conference on Computer Supported Cooperative Work in Design, Department of Computer Science and Information Engineering, Chaoyang University of Technology, Taichung*, pp. 71-76.
- Huang, Z., Lu, X. and Duan, H. (2011), "Mining association rules to support resource allocation in business process management", *Expert Systems with Applications*, Vol. 38 No. 8, pp. 9483-9490.
- Huang, Z., Lu, X. and Duan, H. (2012a), "Resource behavior measure and application in business process management", *Expert Systems with Applications*, Vol. 39 No. 7, pp. 6458-6468.
- Huang, Z., Lu, X. and Duan, H. (2012b), "A task operation model for resource allocation optimization in business process management", *IEEE Transactions on Systems, Man, and Cybernetics, Part A*, Vol. 42 No. 5, pp. 1256-1270.
- Huang, Z., van der Aalst, W.M.P., Lu, X. and Duan, H. (2011), "Reinforcement learning based resource allocation in business process management", *Data and Knowledge Engineering*, Vol. 70 No. 1, pp. 127-145.
- Huemann, M., Keegan, A. and Turner, J.R. (2007), "Human resource management in the project-oriented company: a review", *International Journal of Project Management*, Vol. 25 No. 3, pp. 315-323.
- Jalali, S. and Wohlin, C. (2012), "Systematic literature studies: database searches vs backward snowballing", *Proceedings of the ACM-IEEE International Symposium on Empirical Software Engineering and Measurement*, pp. 29-38.
- Kitchenham, B. (2004), "Procedures for performing systematic reviews", Joint Technical Report, Computer Science Department, Keele University (TR/SE-0401) and National ICT Australia Ltd., Vol. 33, pp. 1-26.
- Kitchenham, B. and Brereton, P. (2013), "A systematic review of systematic review process research in software engineering", *Information and Software Technology*, Vol. 55 No. 12, pp. 2049-2075.
- Kitchenham, B. and Charters, S. (2007), "Guidelines for performing systematic literature reviews in software engineering", Technical Report, Ver. 2.3 EBSE Technical Report, EBSE, SN.

- Kitchenham, B.A., Budgen, D. and Brereton, O.P. (2011), "Using mapping studies as the basis for further research—a participant-observer case study", *Information and Software Technology*, Vol. 53 No. 6, pp. 638-651.
- Koschmider, A., Liu, Y. and Schuster, T. (2011), "Role assignment in business process models", Business Process Management Workshops, International Workshops, Clermont-Ferrand, August 29, Revised Selected Papers, Part I, pp. 37-49.
- Kress, M., Melcher, J. and Seese, D. (2007), "Introducing executable product models for the service industry", *40th Annual Hawaii International Conference on System Sciences, HICSS*, p. 46.
- Kumar, A., van der Aalst, W.M.P. and Verbeek, H.M.W.E. (2002), "Dynamic work distribution in workflow management systems: how to balance quality and performance", *Journal of Management Information Systems*, Vol. 18 No. 3, pp. 157-194.
- Lawall, A., Schaller, T. and Reichelt, D. (2015), "Role and rights management", in Fleischmann, A., Werner, S. and Christian, S. (Eds), *S-BPM in the Wild: Practical Value Creation*, Springer International Publishing, Cham, pp. 171-185.
- Liu, X., Chen, J., Ji, Y. and Yu, Y. (2014), "Q-learning algorithm for task allocation based on social relation", in Cao, J., Wen, L. and Liu, X. (Eds), *Process-Aware Systems, Communications in Computer and Information Science*, Vol. 495, Springer, Berlin, Heidelberg, pp. 49-58.
- Liu, Y., Wang, J., Yang, Y. and Sun, J. (2008), "A semi-automatic approach for workflow staff assignment", *Computers in Industry*, Vol. 59 No. 5, pp. 463-476.
- Ly, L.T., Rinderle, S., Dadam, P. and Reichert, M. (2005), "Mining staff assignment rules from event-based data", *Business Process Management Workshops, International Workshops, BPI, BPD, ENEI, BPRM, WSCOBPM, BPS, Nancy, September 5*, Revised Selected Papers, pp. 177-190.
- Nguyen, P.H., Ali, S. and Yue, T. (2017), "Model-based security engineering for cyber-physical systems: a systematic mapping study", *Information & Software Technology*, Vol. 83, pp. 116-135.
- Obregon, J., Kim, A. and Jung, J. (2013), "DTMiner: A tool for decision making based on historical process data", *Asia Pacific Business Process Management – First Asia Pacific Conference, Beijing, August 29-30*, pp. 81-91.
- Okumus, F. (2003), "A framework to implement strategies in organizations", *Management Decision*, Vol. 41 No. 9, pp. 871-882.
- Petersen, K., Vakkalanka, S. and Kuzniarz, L. (2015), "Guidelines for conducting systematic mapping studies in software engineering: an update", *Information & Software Technology*, Vol. 64, pp. 1-18.
- Petersen, K., Feldt, R., Mujtaba, S. and Mattsson, M. (2008), "Systematic mapping studies in software engineering", *12th International Conference on Evaluation and Assessment in Software Engineering, EASE, University of Bari, June 26-27*, pp. 71-80.
- Prat, N., Comyn-Wattiau, I. and Akoka, J. (2015), "A taxonomy of evaluation methods for information systems artifacts", *Journal of Management Information Systems*, Vol. 32 No. 3, pp. 229-267.
- Roeser, T. and Kern, E.-M. (2015), "Surveys in business process management – a literature review", *Business Process Management Journal*, Vol. 21 No. 3, pp. 692-718.
- Rolim Ensslin, S., Ensslin, L., Back, F. and Tadeu de Oliveira Lacerda, R. (2013), "Improved decision aiding in human resource management: a case using constructivist multi-criteria decision aiding", *International Journal of Productivity and Performance Management*, Vol. 62 No. 7, pp. 735-757.
- Rosemann, M. and vom Brocke, J. (2015), "The six core elements of business process management", in vom Brocke, J. and Rosemann, M. (Eds), *Handbook on Business Process Management, International Handbooks on Information Systems*, Vol. 1, Springer, Berlin, Heidelberg, pp. 105-122.
- Russell, N., van der Aalst, W.M.P., ter Hofstede, A.H.M. and Edmond, D. (2005), "Workflow resource patterns: identification, representation and tool support", in Pastor, O. and Cunha, J.F.E. (Eds), *CAiSE 2005*, Vol. 3520, Springer, Berlin, Heidelberg, pp. 216-232.

-
- Schall, D. (2012), "Crowdsourcing tasks in BPEL4People", *Service-Oriented Crowdsourcing, Springer Briefs in Computer Science*, Springer, New York, NY, pp. 59-92.
- Sindhgatta, R., Ghose, A. and Dam, H.K. (2016), "Context-aware analysis of past process executions to aid resource allocation decisions", *International Conference on Advanced Information Systems Engineering*, pp. 575-589.
- Stefansen, C., Rajamani, S. and Seshan, P. (2008), "Softalloc: a work allocation language with soft constraints", *IEEE International Conference on Web Services*, pp. 441-448.
- Talib, R., Volz, B. and Jablonski, S. (2010), "Agent assignment for process management: agent performance evaluation framework", *The 10th IEEE International Conference on Data Mining Workshops, Sydney, December 13*, pp. 1005-1012.
- Tan, H. and van der Aalst, W.M.P. (2006), "Implementation of a YAWL work-list handler based on the resource patterns", *Proceedings of the 10th International Conference on CSCW in Design, Southeast University, Nanjing, May 3-5*, pp. 1184-1189.
- van der Aalst, W.M.P. (2013), "Business process management: a comprehensive survey", *ISRN Software Engineering*, Vol. 2013, p. 37, doi: 10.1155/2013/507984.
- van der Aalst, W.M.P. (2016), *Process Mining – Data Science in Action*, 2nd ed., Springer, Berlin, Heidelberg.
- van der Aalst, W.M.P., Adriansyah, A., de Medeiros, A.K.A., Arcieri, F., Baier, T., Blickle, T. and Wynn, M.T. (2011), "Process mining manifesto", in Daniel, F., Barkaoui, K. and Dustdar, S. (Eds), *Business Process Management Workshops, Lecture Notes in Business Information Processing*, Vol. 99, Springer, Berlin, Heidelberg, pp. 169-194.
- van Hee, K., Serebrenik, A., Sidorova, N., Voorhoeve, M. and van der Wal, J. (2007), "Scheduling-free resource management", *Data & Knowledge Engineering*, Vol. 61 No. 1, pp. 59-75.
- Weske, M. (2012), *Business Process Management – Concepts, Languages, Architectures*, 2nd ed., Springer, Berlin, Heidelberg.
- Wibisono, A., Nisafani, A.S., Bae, H. and Park, Y. (2015), "On-the-fly performance-aware human resource allocation in the business process management systems environment using naive bayes", *Asia Pacific Business Process Management – Third Asia Pacific Conference, Busan, June 24-26*, pp. 70-80.
- Wieringa, R., Maiden, N.A.M., Mead, N.R. and Rolland, C. (2006), "Requirements engineering paper classification and evaluation criteria: a proposal and a discussion", *Requirements Engineering*, Vol. 11 No. 1, pp. 102-107.
- Wudhikarn, R. (2016), "An efficient resource allocation in strategic management using a novel hybrid method", *Management Decision*, Vol. 54 No. 7, pp. 1702-1731.
- Xu, J., Liu, C. and Zhao, X. (2008), "Resource allocation vs business process improvement: how they impact on each other", *Business Process Management, 6th International Conference, Milan, September 2-4*, pp. 228-243.
- Xu, R., Liu, X., Xie, Y., Yuan, D. and Yang, Y. (2014), "A Gaussian fields based mining method for semi-automating staff assignment in workflow application", *International Conference on Software and Systems Process 2014, Nanjing, May 26-28*, pp. 178-182.
- Yingbo, L., Jianmin, W. and Jiaguang, S. (2007), "A machine learning approach to semi-automating workflow staff assignment", *Proceedings of the 2007 ACM Symposium on Applied Computing, ACM, New York, NY*, pp. 340-345.
- Zhao, W. and Zhao, X. (2014), "Process mining from the organizational perspective", in Wen, Z. and Li, T. (Eds), *Foundations of Intelligent Systems, Advances in Intelligent Systems and Computing*, Vol. 277, Springer, Berlin, Heidelberg, pp. 701-708.
- Zucchi, F. and Edwards, J.S. (1999), "Human resource management aspects of business process reengineering: a survey", *Business Process Management Journal*, Vol. 5 No. 4, pp. 325-344.
- Zur Muehlen, M. (2004), "Organizational management in workflow applications-issues and perspectives", *Information Technology and Management*, Vol. 5 No. 3, pp. 271-291.

Article ID	Venue	Title	Year	Region
P1	Workshop	Ly, L.T., Rinderle, S., Dadam, P. and Reichert, M. (2005), "Mining staff assignment rules from event-based data", In <i>International Workshops on Business Process Management, BPI, BPD, ENEL, BPRM, WSCOBPM, BPS, Nancy, September 5</i> , Revised Selected Papers, pp. 177-190	2005	Europe
P2	Conference	van Hee, K.M., Serebrenik, A., Sidorova, N., Voorhoeve, M. and van der Wal, J. (2005), "The price of coordination in resource management", In <i>3rd International Conference on Business Process Management, Nancy, September 5-8</i> , pp. 96-108	2005	Europe
P3	Journal	Bayer, K., Kempf, S., Brocks, H. and Kamps, T. (2006), "A multi-agent environment for the flexible enactment of knowledge-intensive processes", <i>Cybernetics and Systems</i> , Vol. 37 No. 6, pp. 653-672	2006	Europe
P4	Journal	Ha, B.H.A.C., Bae, J.B.D., Park, Y.T.A.E.F. and Kang, S.H.A.G. (2006), "Development of process execution rules for workload balancing on agents", <i>Data and Knowledge Engineering</i> , Vol. 56 No. 1, pp. 64-84	2006	Asia
P5	Conference	Tan, H. and van der Aalst, W.M.P. (2006), "Implementation of a YAWL work-list handler based on the resource patterns", In <i>Proceedings of the 10th International Conference on CSCW in Design, Southeast University, Nanjing, May 3-5</i> , pp. 1184-1189	2006	Europe
P6	Conference	Xiangpeng, Z., Cerone, A. and Krishnan, P. (2006), "Verifying BPEL workflows under authorization constraints", In <i>4th International Conference on Business Process Management, Vienna, September 5-7</i> , pp. 439-444	2006	Asia
P7	Conference	Yingbo, L., Jianmin, W. and Jiaguang, S. (2007), "A machine learning approach to semi-automating workflow staff assignment", In <i>Proceedings of the 2007 ACM Symposium on Applied Computing, ACM, New York, NY</i> , pp. 340-345	2007	Asia
P8	Conference	Kress, M., Melcher, J. and Seese, D. (2007), "Introducing executable product models for the service industry", In <i>40th Annual Hawaii International Conference on System Sciences</i> , pp. 46-46	2007	Europe
P9	Conference	Wang, J., Tepfenhart, W., Rosca, D. and Tsai, A. (2007), "Resource-constrained workflow modeling", In <i>First Joint IEEE/IFIP Symposium on Theoretical Aspects of Software Engineering</i> , pp. 171-177	2007	North America
P10	Journal	van Hee, K., Serebrenik, A., Sidorova, N., Voorhoeve, M. and van der Wal, J. (2007), "Scheduling-free resource management", <i>Data and Knowledge Engineering</i> , Vol. 61 No. 1, pp. 59-75	2007	Europe
P11	Conference	Reijers, H.A., Jansen-Vullers, M.H., zur Muehlen, M. and Appl, W. (2007), "Workflow Management Systems + Swarm Intelligence = Dynamic task assignment for emergency management applications", In <i>5th International Conference on Business Process Management, Brisbane, September 24-28</i> , pp. 125-140	2007	Europe
P12	Conference	Delias, P., Doulamis, A. and Matsatsinis, N. (2008), "A joint optimization algorithm for dispatching tasks in agent-based workflow management systems", In <i>Proceedings of the 10th International Conference on Enterprise Information Systems, Vol. AIDSS</i> , pp.199-206	2008	Europe

Table AI.
Primary studies
selected

(continued)

Article ID	Venue	Title	Year	Region
P13	Journal	Liu, Y., Wang, J., Yang, Y. and Sun, J. (2008), "A semi-automatic approach for workflow staff assignment", <i>Computers in Industry</i> , Vol. 59 No. 5, pp. 463-476.	2008	Asia
P14	Journal	Overbeek, S.J., van Bommel, P. and Proper, H.A.E. (2008), "Matching cognitive characteristics of actors and tasks in information systems engineering", <i>Knowledge-Based Systems</i> , Vol. 21 No. 8, pp. 764-785	2008	Europe
P15	Conference	Link, S., Hoyer, P., Schuster, T. and Abeck, S. (2008), "Model-driven development of human tasks for workflows", In <i>Proceedings – the 3rd International Conference on Software Engineering Advances, International Workshop on Enterprise Information Systems</i> , pp. 329-335	2008	Europe
P16	Conference	Xu, J., Liu, C. and Zhao, X. (2008a), "Resource allocation vs business process improvement: how they impact on each other", In <i>6th International Conference on Business Process Management, Milan, September 2-4</i> , pp. 228-243	2008	Oceania
P17	Conference	Stefansen, C., Rajamani, S. and Seshan, P. (2008), "Softalloc: a work allocation language with soft constraints", In <i>IEEE International Conference on Web Services</i> , pp. 441-448	2008	Europe
P18	Workshop	Jablonski, S. and Talib, R. (2009), "Agent assignment for process management: pattern based agent performance evaluation", In <i>4th International Workshop on Agents and Data Mining Interaction, Budapest, May 10-15</i> , Revised Selected Papers, pp. 155-169	2009	Europe
P19	Conference	Xu, J., Liu, C. and Zhao, X. (2009), "Resource planning for massive number of process instances", In <i>On the Move to Meaningful Internet Dystems: OTM 2009, Confederated International Conferences, Coopis, DOA, IS, and ODBASE, Vilamoura, November 1-6, Part I</i> , pp. 219-236	2009	Oceania
P20	Journal	Ramchurn, S.D., Mezzetti, C., Giovannucci, A., Rodriguez-Aguilar, J.A., Dash, R.K. and Jennings, N.R. (2009), "Trust-based mechanisms for robust and efficient task allocation in the presence of execution uncertainty", <i>Journal of Artificial Intelligence Research</i> , Vol. 35, pp. 119-159	2009	Europe
P21	Conference	Oberweis, A. and Schuster, T. (2010), "A meta-model based approach to the description of resources and skills", In <i>AMCIS</i> , p. 383	2010	Europe
P22	Workshop	Talib, R., Volz, B. and Jablonski, S. (2010), "Agent assignment for process management: agent performance evaluation framework", In <i>10th IEEE International Conference on Data Mining Workshops, Sydney, December 13</i> , pp. 1005-1012	2010	Europe
P23	Journal	Huang, Z., Van Der Aalst, W.M.P., Lu, X. and Duan, H. (2010), "An adaptive work distribution mechanism based on reinforcement learning", <i>Expert Systems with Applications</i> , Vol. 37 No. 12, pp. 7533-7541	2010	Europe
P24	Conference	Suzuki, Y., Jin, Y., Koyama, H. and Kang, G. (2010), In <i>New World Situation: New Directions in Concurrent Engineering</i> , Springer London, pp. 73-81	2010	Asia
P25	Workshop	Unger, T. and Wagner, S. (2010), "Collaboration aspects of human tasks", In <i>International Conference on Business Process Management, Springer, Berlin and Heidelberg</i> , pp. 579-590	2010	Europe
P26	Workshop	Chrzastowski-Wachtel, P. and Rauch, J. (2010), "IRS-MT: tool for intelligent resource allocation", In S. Donatelli, J. Kleijn, R.J. Machado, J.M. Fernandes (Eds), <i>CEUR Workshop Proceedings</i> , Vol. 827 urn: nbn: de: 0074-827-8 ISSN 1613-0073, p. 235	2010	Europe

(continued)

Table AI.

Article ID	Venue	Title	Year	Region
P27	Workshop	Kamrani, F., Ayani, R. and Karimson, A. (2010), "Optimizing a business process model by using simulation", In <i>Proceedings of the 2010 IEEE Workshop on Principles of Advanced and Distributed Simulation, IEEE Computer Society</i> , pp. 40-47	2010	Europe
P28	Conference	Tjoa, S., Jakoubi, S., Goluch, S. and Kitzler, G. (2010), "Planning dynamic activity and resource allocations using a risk-aware business process management approach", In <i>International Conference on Availability, Reliability, and Security, IEEE</i> , pp. 268-274	2010	Europe
P29	Journal	Yahya, B.N. and Bae, H. (2011), "Adaptive RBAC in complex event-driven BPM systems", In <i>Dynamics in Logistics</i> , Springer, Berlin and Heidelberg, pp. 203-212	2011	Asia
P30	Journal	Suresh, M., Dutta, P. and Jain, K. (2011), "Analysis of an EPC project: a solution to the resource constrained project scheduling problem using genetic algorithms", <i>International Journal of Industrial and Systems Engineering</i> , Vol. 8 No. 2, pp. 251-269	2011	Asia
P31	Journal	Colucci, S., Tinelli, E., Di Sciascio, E. and Donini, F.M. (2011), "Automating competence management through non-standard reasoning", <i>Engineering Applications of Artificial Intelligence</i> , Vol. 24 No. 8, pp. 1368-1384	2011	Europe
P32	Workshop	Niedermann, F., Pavel, A. and Mitschang, B. (2011), "Beyond roles: prediction model-based process resource management", In <i>International Conference on Business Information Systems Workshops, Springer Berlin Heidelberg</i> , pp. 5-17	2011	Europe
P33	Journal	Huang, Z., Lu, X. and Duan, H. (2011), "Mining association rules to support resource allocation in business process management", <i>Expert Systems with Applications</i> , Vol. 38 No. 8, pp. 9483-9490	2011	Asia
P34	Journal	Yingbo, L., Li, Z. and Jianmin, W. (2011), "Mining workflow event log to facilitate parallel work item sharing among human resources", <i>International Journal of Computer Integrated Manufacturing</i> , Vol. 24 No. 9, pp. 864-877	2011	Asia
P35	Journal	Strembeck, M. and Mendling, J. (2011), "Modeling process-related RBAC models with extended UML activity models", <i>Information and Software Technology</i> , Vol. 53 No. 5, pp. 456-483	2011	Europe
P36	Journal	Delias, P., Doulamis, A., Doulamis, N. and Matsatsinis, N. (2011), "Optimizing resource conflicts in workflow management systems", <i>IEEE Transactions on Knowledge and Data Engineering</i> , Vol. 23 No. 3, pp. 417-432	2011	Europe
P37	Conference	Khazankin, R., Psaiar, H., Schall, D. and Dustdar, S. (2011), "Qos-based task scheduling in crowdsourcing environments", In <i>International Conference on Service-Oriented Computing, Springer Berlin Heidelberg</i> , pp. 297-311	2011	Europe
P38	Journal	Huang, Z., van der Aalst, W.M., Lu, X. and Duan, H. (2011), "Reinforcement learning based resource allocation in business process management", <i>Data and Knowledge Engineering</i> , Vol. 70 No. 1, pp. 127-145	2011	Asia
P39	Workshop	Koschmider, A., Yingbo, L. and Schuster, T. (2011), "Role assignment in business process models", In <i>Business Process Management Workshops, Springer Berlin Heidelberg</i> , pp. 37-49	2011	Europe
P40	Workshop	Barba, I., Weber, B. and Valle, C. (2011), "Supporting the optimized execution of business processes through recommendations", In <i>Business Process Management Workshops, Springer Berlin Heidelberg</i> , pp. 135-140	2011	Europe

Table AI.

(continued)

Article ID	Venue	Title	Year	Region
P41	Journal	Yu, Y., Pan, M., Li, X. and Jiang, H. (2011), "Tabu search heuristics for workflow resource allocation simulation optimization", <i>Concurrency and Computation: Practice and Experience</i> , Vol. 23 No. 16, pp. 2020-2033	2011	Asia
P42	Journal	Li, L.J., Gao, J.M., Chen, K. and Jiang, H.Q. (2011), "The identification of irrationally allocated resources in business process based on network centrality analysis", <i>International Journal of Computer Integrated Manufacturing</i> , Vol. 24 No. 8, pp. 748-755	2011	Asia
P43	Conference	Liu, R., Nigam, A., Shan, Z. and Wu, F. (2011), "Uniform modeling of resources and business processes using business entities", In <i>International Conference on Services Computing (SCC), IEEE</i> , pp. 693-700	2011	North America
P44	Conference	Ouyang, C., Wynn, M.T., Kuhr, J.C., Adams, M.J., Becker, T., ter Hofstede, A.H. and Fidge, C.J. (2011), "Workflow support for scheduling in surgical care processes", In <i>ECIS 2011 Proceedings</i>	2011	Oceania
P45	Conference	Xu, J., Huang, Z., Yu, Y. and Pan, M. (2012), "A performance analysis on task allocation using social context", In <i>Second International Conference on Cloud and Green Computing, IEEE</i> , pp. 637-644	2012	Asia
P46	Journal	Huang, Z., Lu, X. and Duan, H. (2012), "A task operation model for resource allocation optimization in business process management", <i>IEEE Transactions on Systems, Man, and Cybernetics – Part A: Systems and Humans</i> , Vol. 42 No. 5, pp. 1256-1270	2012	Asia
P47	Conference	Lawall, A., Schaller, T. and Reichelt, D. (2012). An approach towards subject-oriented access control. In <i>International Conference on Subject-Oriented Business Process Management, Springer Berlin Heidelberg</i> , pp. 33-42	2012	Europe
P48	Conference	Schuster, T. (2012), "Balanced resource allocation", In <i>18th Americas Conference on Information Systems, AMCIS</i>	2012	Europe
P49	Book parts	Schall, D. (2012), "Crowdsourcing tasks in BPEL4 people", In <i>Service-Oriented Crowdsourcing, Springer New York, NY</i> , pp. 59-92	2012	Europe
P50	Journal	Liu, T., Cheng, Y. and Ni, Z. (2012). "Mining event logs to support workflow resource allocation", <i>Knowledge-Based Systems</i> , Vol. 35, pp. 320-331	2012	Asia
P51	Journal	Huang, Z., Lu, X. and Duan, H. (2012), "Resource behavior measure and application in business process management", <i>Expert Systems with Applications</i> , Vol. 39 No. 7, pp. 6458-6468	2012	Asia
P52	Conference	Schuster, T., Dietz, G. and Juhirsch, M. (2012), "The impact of conceptual modeling on allocation of human resources in collaborative networks", In <i>18th Americas Conference on Information Systems</i> , Vol. 4, pp. 2778-2789	2012	Europe
P53	Conference	Cao, J., Wang, H. and Wang, X. (2013), "A distributed algorithm for agent coalition formation with complex tasks", In <i>17th International Conference on Computer Supported Cooperative Work in Design (CSCWD), IEEE</i> , pp. 127-132	2013	Asia
P54	Journal	Xie, Y., Chien, C.F. and Tang, R.Z. (2013), "A method for estimating the cycle time of business processes with many-to-many relationships among the resources and activities based on individual worklists", <i>Computers and Industrial Engineering</i> , Vol. 65 No. 2, pp. 194-206	2013	Asia
P55	Conference	Liu, R., Agarwal, S., Sindhgatta, R.R. and Lee, J. (2013), "Accelerating collaboration in task assignment using a socially enhanced resource model", In <i>11th International Conference on Business Process Management, Beijing, August 26-30</i> , pp. 251-258	2013	North America

(continued)

Table AI.

Article ID	Venue	Title	Year	Region
P56	Journal	Genquan, R., Rui, H., Yingbo, L., Jiong, Z., Tao, J., Li, Z. and Jianmin, W. (2013), "Applying genetic algorithm to optimise personal worklist management in workflow systems", <i>International Journal of Production Research</i> , Vol. 51 No. 17, pp. 5158-5179	2013	Asia
P57	Workshop	Kim, A., Obregon, J. and Jung, J.Y. (2013), "Constructing decision trees from process logs for performer recommendation", In <i>International Conference on Business Process Management Workshops</i> , Springer International Publishing, pp. 224-236	2013	Asia
P58	Conference	Obregon, J., Kim, A. and Jung, J.Y. (2013), "Dtminer: a tool for decision making based on historical process data", In <i>Asia-Pacific Conference on Business Process Management</i> , Springer International Publishing, pp. 81-91	2013	Asia
P59	Conference	Guo, H., Brown, R. and Rasmussen, R. (2013), "Human resource behaviour simulation in business processes", In <i>Information Systems Development</i> , Springer, New York, NY, pp. 167-178	2013	Oceania
P60	Journal	Xu, J., Liu, C., Zhao, X. and Ding, Z. (2013), "Incorporating structural improvement into resource allocation for business process execution planning", <i>Concurrency and Computation: Practice and Experience</i> , Vol. 25 No. 3, pp. 427-442	2013	Oceania
P61	Journal	Jiang, G., Hu, B. and Wang, Y. (2013), "Modeling and performance analysis of collaborative workflow system based on extended colored stochastic Petrinets", <i>Journal of Information and Computational Science</i> , Vol. 10 No. 1, pp. 35-48	2013	Asia
P62	Conference	Kumar, A., Dijkman, R. and Song, M. (2013), "Optimal resource assignment in workflows for maximizing cooperation", In <i>11th International Conference on Business Process Management, Beijing, August 26-30</i> , pp. 235-250	2013	Asia
P63	Conference	Cabanillas, C., Garcia, J.M., Resinas, M., Ruiz, D., Mendling, J. and Ruiz-Cortés, A. (2013), "Priority-based human resource allocation in business processes", In <i>International Conference on Service-Oriented Computing</i> , Springer, Berlin and Heidelberg, pp. 374-388	2013	Europe
P64	Journal	Barba, I., Weber, B., Del Valle, C. and Jiménez-Ramírez, A. (2013), "User recommendations for the optimized execution of business processes", <i>Data and Knowledge Engineering</i> , Vol. 86, pp. 61-84	2013	Europe
P65	Journal	Gao, X., Xu, L., Wang, X., Li, Y., Yang, M. and Liu, Y. (2013), "Workflow process modelling and resource allocation based on polychromatic sets theory", <i>Enterprise Information Systems</i> , Vol. 7 No. 2, pp. 198-226	2013	Asia
P66	Journal	Hsieh, F.S. and Lin, J.B. (2014), "A dynamic scheme for scheduling complex tasks in manufacturing systems based on collaboration of agents", <i>Applied Intelligence</i> , Vol. 41 No. 2, pp. 366-382	2014	Asia
P67	Conference	Xu, R., Liu, X., Xie, Y., Yuan, D. and Yang, Y. (2014), "A Gaussian fields based mining method for semi-automating staff assignment in workflow application", In <i>International Conference on Software and Systems Process</i> , pp. 178-182	2014	Asia
P68	Conference	Hsieh, F.S. and Lin, J.B. (2014), "A multi-agent approach for managing collaborative workflows in supply chains", In <i>Proceedings of the 2014 IEEE 18th International Conference on Computer Supported Cooperative Work in Design</i> , pp. 71-76	2014	Asia
P69	Conference	Sohail, A., Dominic, P.D.D. and Shahzad, K. (2014), "A process warehouse-based resource performance evaluation method for business processes improvement", In <i>International Conference on Computer and Information Sciences</i> , IEEE, pp. 1-6	2014	Asia

Table AI.

(continued)

Article ID	Venue	Title	Year	Region
P70	Journal	Zhai, Z.N., Lu, Y.H., Zhang, P.J. and Chen, Z.H. (2014), "Association-based active access control models with balanced scalability and flexibility", <i>Computers in Industry</i> , Vol. 65 No. 1, pp. 116-123	2014	Asia
P71	Journal	Nisafani, A.S., Wibisono, A., Kim, S. and Bae, H. (2014), "Bayesian selection rule for human resource selection in business process management systems", <i>Journal of Society for e-Business Studies</i> , Vol. 17, No. 1	2014	Asia
P72	Journal	Son, M.J. and Kim, T.W. (2014), "Business process management-based job assignment in ship hull production design", <i>Ocean Engineering</i> , Vol. 88, pp. 12-26	2014	Asia
P73	Journal	Hsieh, F.S. and Lin, J.B. (2014), "Context-aware workflow management for virtual enterprises based on coordination of agents", <i>Journal of Intelligent Manufacturing</i> , Vol. 25, No. 3, pp. 393-412	2014	Asia
P74	Journal	Schall, D., Satzger, B. and Psailer, H. (2014), "Crowdsourcing tasks to social networks in BPEL4People", <i>World Wide Web</i> , Vol. 17 No. 1, pp. 1-32	2014	Europe
P75	Journal	Hsieh, F.S. and Lin, J.B. (2014), "Development of context-aware workflow systems based on Petri Net Markup Language", <i>Computer Standards and Interfaces</i> , Vol. 36, No. 3, pp. 672-685	2014	Asia
P76	Journal	Schefer-Wenzl, S. and Strembeck, M. (2014), "Model-driven specification and enforcement of RBAC break-glass policies for process-aware information systems", <i>Information and Software Technology</i> , Vol. 56, No. 10, pp. 1289-1308	2014	Europe
P77	Conference	Florez, L. and Castro-Lacouture, D. (2014), "Optimal crew design for masonry construction projects considering contractors' requirements and workers' needs", In <i>Construction Research Congress 2014: Construction in a Global Network</i> , pp. 1149-1158	2014	North America
P78	Journal	Linden, I. (2014), "Proposals for the integration of interactive dashboards in business process monitoring to support resources allocation decisions", <i>Journal of Decision Systems</i> , Vol. 23 No. 3, pp. 318-332	2014	Europe
P79	Conference	Lopez, B., Ghose, A., Savarimuthu, T., Nowostawski, M., Winikoff, M. and Cranefield, S. (2014), "Towards energy-aware optimisation of business processes", In <i>SMARTGREENS 2014 – Proceedings of the 3rd International Conference on Smart Grids and Green IT Systems</i> , pp. 68-75	2014	Europe
P80	Journal	Xie, Y., Chien, C.F. and Tang, R.Z. (2015), "A dynamic task assignment approach based on individual worklists for minimizing the cycle time of business processes", <i>Computers and Industrial Engineering</i> , Vol. 99, pp. 401-414	2015	Asia
P81	Workshop	Arias, M., Rojas, E., Munoz-Gama, J. and Sepúlveda, M. (2015), "A framework for recommending resource allocation based on process mining", In <i>International Conference on Business Process Management Workshops</i> , Springer International Publishing, pp. 458-470	2015	Latin America
P82	Conference	Sindhgatta, R., Ghose, A. and Dasgupta, G.B. (2015), "Analyzing resource behavior to aid task assignment in service systems", In <i>International Conference on Service-Oriented Computing</i> , Springer, Berlin and Heidelberg, pp. 412-426	2015	Asia
P83	Workshop	Havur, G., Cabanillas, C., Mendling, J. and Polleres, A. (2015), "Automated resource allocation in business processes with answer set programming", In <i>International Conference on Business Process Management Workshops</i> , Springer International Publishing, pp. 191-203	2015	Europe

(continued)

Table AI.

Article ID	Venue	Title	Year	Region
P84	Conference	Cabanillas, C., Resinas, M., Mendling, J. and Ruiz-Cortés, A. (2015), "Automated team selection and compliance checking in business processes", In <i>Proceedings of the 2015 International Conference on Software and System Process, ACM</i> , pp. 42-51	2015	Europe
P85	Conference	Sohail, A. and Dominic, P.D.D. (2015), "Business process improvement: a process warehouse-based resource management method", In <i>2015 International Symposium on Technology Management and Emerging Technologies, IEEE</i> , pp. 291-296	2015	Asia
P86	Journal	Stroppi, L.J.R., Chiotti, O. and Villarreal, P.D. (2015), "Defining the resource perspective in the development of processes-aware information systems", <i>Information and Software Technology</i> , Vol. 59, pp. 86-108	2015	Latin America
P87	Conference	Hsieh, F.S. (2015), "Location-aware workflow scheduling in supply chains based on multi-agent systems", In <i>2015 Conference on Technologies and Applications of Artificial Intelligence, IEEE</i> , pp. 441-448	2015	Asia
P88	Conference	Wibisono, A., Nisafani, A.S., Bae, H. and Park, Y.J. (2015), "On-the-fly performance-aware human resource allocation in the business process management systems environment using Naive Bayes", In <i>Asia-Pacific Conference on Business Process Management, Springer International Publishing</i> , pp. 70-80	2015	Asia
P89	Book parts	Lawall, A., Schaller, T. and Reichelt, D. (2015), "Role and Rights Management", In <i>S-BPM in the Wild</i> , Springer International Publishing, pp. 171-185	2015	Europe
P90	Journal	Cabanillas, C., Resinas, M., del-Río-Ortega, A. and Ruiz-Cortés, A. (2015), "Specification and automated design-time analysis of the business process human resource perspective", <i>Information Systems</i> , Vol. 52, pp. 55-82	2015	Europe
P91	Conference	Zhao, W., Yang, L., Liu, H. and Wu, R. (2015), "The optimization of resource allocation based on process mining", In <i>International Conference on Intelligent Computing, Springer International Publishing</i> , pp. 341-353	2015	Asia
P92	Journal	Zhao, W., Liu, H., Dai, W. and Ma, J. (2016), "An entropy-based clustering ensemble method to support resource allocation in business process management", <i>Knowledge and Information Systems</i> , Vol. 48 No. 2, pp. 305-330	2016	Asia
P93	Journal	Sohail, A., Dominic, P.D.D. and Shahzad, K. (2016), "Business process analysis: a process warehouse-based resource preference evaluation method", <i>International Journal of Business Information Systems</i> , Vol. 21 No. 2, pp. 137-161	2016	Asia
P94	Conference	Sindhgatta, R., Ghose, A. and Dam, H.K. (2016), "Context-aware analysis of past process executions to aid resource allocation decisions", In <i>International Conference on Advanced Information Systems Engineering, Springer International Publishing</i> , pp. 575-589	2016	Asia
P95	Journal	Maamar, Z., Faci, N., Sakr, S., Boukhebouze, M. and Barnawi, A. (2016), "Network-based social coordination of business processes", <i>Information Systems</i> , Vol. 58, pp. 56-74	2016	Asia

Table AI.

Corresponding authorMichael Arias can be contacted at: marias@uc.cl

For instructions on how to order reprints of this article, please visit our website:

www.emeraldgroupublishing.com/licensing/reprints.htmOr contact us for further details: permissions@emeraldinsight.com